

Concord

MYRIAD ADJ SQUARE BLACK 3000K DALI WHITE BEZ 2056233



Features

- The Myriad Adjustable Square recessed spotlight is a high efficient accent downlight, fixture color RAL 9005 - Jet black, correlated colour temperature of 3000K, color rendering index Ra110, fixture lumen 702lm, total power consumption 10W, luminaire efficacy 70 lm/W, nominal light beam angle 24°, mains voltage 230-240V~ AC, control technology type: DALI, product length 76mm, width 76mm, height 115mm, cut-out dimension 72x72mm, IP rating IP20, 5 years warranty.

Product Overview


Product name	MYRIAD ADJ SQUARE BLACK 3000K DALI WHITE BEZ
Technology	LED
Cap/Base	N/A
Housing	PC Polycarbonate
Mount	Ceiling recessed mounting
Environment	Indoor
Fixture luminous flux (lm)	702
Luminaire efficacy (lm/W)	70
LOR (%)	100
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
Control gear mounting	Remote

Concord


MYRIAD ADJ SQUARE BLACK 3000K DALI WHITE BEZ 2056233

Housing colour	Black
IP rating	IP20
IK rating	IK02
Product EAN number	5025768562336
Warranty	5 years

Photometry



Technical drawings



Concord

MYRIAD ADJ SQUARE BLACK 3000K DALI WHITE BEZ 2056233

Data table

GENERAL DATA

Product name	MYRIAD ADJ SQUARE BLACK 3000K DALI WHITE BEZ
Technology	LED
Cap/Base	N/A
Housing	PC Polycarbonate
Mount	Ceiling recessed mounting
Environment	Indoor
Performance ambient temperature Tq (°C)	25
Warranty	5 years

OPTICAL DATA

Fixture luminous flux (lm)	702
Luminaire efficacy (lm/W)	70
LOR (%)	100
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Adjustable chromaticity	N
Photobiological Risk Group	RG1

ELECTRICAL DATA

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	230
Electrical protection	Class II
Control gear required	No
Control gear mounting	Remote
Drive current (mA)	250

Concord

MYRIAD ADJ SQUARE BLACK 3000K DALI WHITE BEZ 2056233

Energy Efficiency Class (A->G) of contained light source	E
--	---

Nominal Frequency (Hz)	50/60Hz
------------------------	---------

LIFETIME DATA

Lifespan L70 B50	100000
------------------	--------

Lifespan L80 B20	100000
------------------	--------

Lifespan L90 B10	68500
------------------	-------

PHYSICAL DATA

Housing colour	Black
----------------	-------

IP rating	IP20
-----------	------

IK rating	IK02
-----------	------

Nominal Product Width (mm)	76
----------------------------	----

Weight (kg)	0.38
-------------	------

Recessed Depth (mm)	115
---------------------	-----

PACKAGING

Single packaging type	Carton
-----------------------	--------

Product EAN number	5025768562336
--------------------	---------------

Packaging single width (cm)	15.0
-----------------------------	------

Packaging single depth (cm)	17.5
-----------------------------	------

DUN14 (outer)	05025768562336
---------------	----------------

Packaging outer length / height (cm)	17.5
--------------------------------------	------

SAFETY DATA

Special purpose lamp	No
----------------------	----

Dry applications use only	No
---------------------------	----

Suitable for household illumination	No
-------------------------------------	----