

Certificate of Compliance

Certificate Number:

UL-US-L73397-15-
50904102-3

Report Reference:

E73397-20140905

Issue Date:

2024-06-26

Issued to:

**ABB Electrification Sweden AB, Motor Starting & Safety
Motorgrand 20 Vasteras 721 61
Sweden**

This certificate confirms that representative samples of:
NRNT - Switches, Industrial Control

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision Date: 2019-05-06, UL 60947-4-1, 3rd Ed., Issue Date: 2014-04-04, Revision Date: 2017-10-17

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L73397-15-50904102-3
Report reference E73397-20140905
Date 2024-06-26

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
Aux. contact blocks Type. CAL19-11, CAL19-11B, CE, L19-10, CEL19-01	Industrial Control Switches
KLA200N4	Industrial Control Switches, Terminal shroud
LL370-40	Industrial Control Switches, Connection socket
LS132N, followed by -40, followed by -00, -11, -22 followed by two additional suffixes	Open type, Industrial control switches
LS160N, followed by -40, followed by -00, -11, -22 followed by two additional suffixes	Industrial Control Switches
LS160N followed by -40, followed by -00, -11, -22 followed by two additional suffixes	Industrial Control Switches
LS200N followed by -40, followed by -00, -11, -22 followed by two additional suffixes	Open type, Industrial control switches
Mechanical interlocks. VM19, VM205/265	Accessory for AF265-40, AF305-40 and AF370-40
Terminal extension Type. LW370-40	Accessory for AF265-40, AF305-40 and AF370-40
Terminal shroud Type. LT370-40C, LT370-40L	Accessory for AF265-40, AF305-40 and AF370-40
Type AF265, AF305 or AF370, followed by -40, followed by -00, -11, -22, -01, -10, followed by additional suffixes indicating coil voltage.	Industrial Control Switches



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L73397-45-
50904102-3

Report Reference:

E73397-20140905

Issue Date:

2024-06-26

Issued to:

**ABB Electrification Sweden AB, Motor Starting & Safety
Motorgrand 20 Vasteras 721 61
Sweden**

This certificate confirms that representative samples of:

NRNT7 - Switches, Industrial Control Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 No. 60947-1, 2nd Ed., Issue Date: 2013-07-01, CSA
C22.2 NO. 60947-4-1, 2nd Ed., Issue Date: 2014-04-04, Revised
2018-05**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L73397-45-50904102-3
Report reference E73397-20140905
Date 2024-06-26

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
Aux. contact blocks Type. CAL19-11, CAL19-11B, CE, L19-10, CEL19-01	Industrial Control Switches
KLA200N4	Industrial Control Switches, Terminal shroud
LL370-40	Industrial Control Switches, Connection socket
LS132N, followed by -40, followed by -00, -11, -22 followed by two additional suffixes	Open type, Industrial control switches
LS160N, followed by -40, followed by -00, -11, -22 followed by two additional suffixes	Industrial Control Switches
LS160N followed by -40, followed by -00, -11, -22 followed by two additional suffixes	Industrial Control Switches
LS200N followed by -40, followed by -00, -11, -22 followed by two additional suffixes	Open type, Industrial control switches
Mechanical interlocks. VM19, VM205/265	Accessory for AF265-40, AF305-40 and AF370-40
Terminal extension Type. LW370-40	Accessory for AF265-40, AF305-40 and AF370-40
Terminal shroud Type. LT370-40C, LT370-40L	Accessory for AF265-40, AF305-40 and AF370-40
Type AF265, AF305 or AF370, followed by -40, followed by -00, -11, -22, -01, -10, followed by additional suffixes indicating coil voltage.	Industrial Control Switches



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

