


Myriad Adjustable Square - Black with White bezel

MYRIAD ADJ SQUARE BLACK 4000K DALI WHITE BEZ
2056237



PRODUCT OVERVIEW

Product name	MYRIAD ADJ SQUARE BLACK 4000K DALI WHITE BEZ
Technology	LED
Cap/Base	N/A
Housing	PC Polycarbonate
Mount	Ceiling recessed mounting
Environment	Indoor
Warranty	5 years
Fixture luminous flux (lm)	684
Luminaire efficacy (lm/W)	68
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	90
Colour Variation Initial (SDCM)	SDCM3
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
Housing colour	Black
IP rating	IP20
IK rating	IK02
Product EAN number	5025768562374

DATA TABLE

General data

Product name	MYRIAD ADJ SQUARE BLACK 4000K DALI WHITE BEZ
Technology	LED
Cap/Base	N/A
Housing	PC Polycarbonate

Myriad Adjustable Square - Black with White bezel

MYRIAD ADJ SQUARE BLACK 4000K DALI WHITE BEZ
2056237

Mount	Ceiling recessed mounting
Environment	Indoor
Performance ambient temperature Tq (°C)	25
Warranty	5 years

Optical data

Fixture luminous flux (lm)	684
Luminaire efficacy (lm/W)	68
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	90
Colour Variation Initial (SDCM)	SDCM3
Adjustable chromaticity	N
Photobiological Risk Group	RG1

Electrical data

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	230
Electrical protection	Class II
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

Physical data


Housing colour	Black
IP rating	IP20
IK rating	IK02
Nominal Product Width (mm)	76
Weight (kg)	0.38
Recessed Depth (mm)	115

Packaging

Single packaging type	Carton
Product EAN number	5025768562374
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768562374
Packaging outer length / height (cm)	17.5

Myriad Adjustable Square - Black with White bezel MYRIAD ADJ SQUARE BLACK 4000K DALI WHITE BEZ 2056237


PHOTOMETRY



Distance [m]	Cone diameter [m]	E ₀ [lx]	E ₁ [lx]	Beam angle [°]	Illuminance [lx]
0.5	0.23	1228	5701	12.9°	
1.0	0.46	308	1425	12.9°	
1.5	0.69	136	633	12.9°	
2.0	0.92	78	366	12.9°	
2.5	1.15	48	230	12.9°	
3.0	1.37	32	156	12.9°	

Distance [m] Cone diameter [m] Illuminance [lx]
 C0 - C180 (Half beam angle: 25.8°)

TECHNICAL DRAWINGS



Dimensions (mm)