


**Data Sheet | Item Number: 745-100**  
End plate; 1.5 mm thick; snap-fit type; gray

<https://www.wago.com/745-100>



Color: ■ gray

#### Physical data

Width	1.5 mm / 0.059 inches
Height	19 mm / 0.748 inches
Depth	22.9 mm / 0.902 inches

#### Mechanical data

Mounting type	snap-on type
---------------	--------------

#### Material data

Note (material data)	<a href="#">Information on material specifications can be found here</a>
Color	gray
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.013 MJ
Weight	0.5 g

#### Commercial data

Product Group	4 (Printed Circuit Connectors)
PU (SPU)	1000 (100) pcs
Packaging type	Box
Country of origin	CH
GTIN	4017332411851
Customs tariff number	85389099990

**Product Classification**

UNSPSC	39121702
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 9.0	EC000886
ETIM 10.0	EC000886
ECCN	NO US CLASSIFICATION

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Approvals / Certificates**

**General approvals**



Approval	Standard	Certificate Name
CSA DEKRA Certification B.V.	C22.2 No. 158	1604421

**Downloads**

**Environmental Product Compliance**

**Compliance Search**

Environmental Product Compliance 745-100	<a href="#">↓</a>
------------------------------------------	-------------------

**Documentation**

**Additional Information**

Technical Section	03.04.2019	pdf 2027.26 KB	<a href="#">↓</a>
-------------------	------------	-------------------	-------------------

**CAD/CAE-Data**

**CAD data**

2D/3D Models 745-100	<a href="#">↓</a>
----------------------	-------------------

**CAE data**

EPLAN Data Portal 745-100	<a href="#">↓</a>
ZUKEN Portal 745-100	<a href="#">↓</a>

PCB Design

Symbol and Footprint  
via SamacSys 745-100



Symbol and Footprint  
via Ultra Librarian  
745-100

