

Data Sheet | Item Number: 706-3037/301-200

System cable; for Schneider TSX; 2 x 16 digital inputs or outputs; Length: 2 m; Conductor cross-section: 0.14 mm²

<https://www.wago.com/706-3037/301-200>



Similar to illustration

Color coding	Wire number	AC conductor	DC conductor
White	1	001	0
Brown	2	011	2
Green	3	021	2
Yellow	4	031	4
Grey	5	041	5
Pink	6	051	6
Blue	7	061	7
Red	8	071	8
Black	9	101	9
White	10	111	10
Black	11	121	11
Red	12	131	12
White	13	141	13
Brown	14	151	14
White	15	161	15
White	16	171	16
White	17	181	17
White	18	191	18
White	19	201	19
Black	20	211	20

Notes

Note: When using more than 10 wires, the maximum current per wire must be reduced to 0.7 A.

Electrical data	
Inputs/outputs	2 x 16 digital inputs or outputs
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	1 A

Compatibility	
Schneider	
Schneider TSX	TSX DEZ 32D2 TSX DSZ 32T2

Connection data	
Cable type	LiYY
Color code	per DIN VDE 47100
Connection 1	
Connector	Pluggable connector per DIN 41651; female connector
Pole number 1	20
Connection type 1	System
Wire cross-section	0.14 mm ²
Connection 2	
Connector 2	Pluggable connector per DIN 41651; female connector
Pole number 2	20
Connection type 2	System
Connection 3	
Connector 3	Schneider BLZL01
Pole number 3	35
Connection type 3	System

Physical data

Cable length	2 m
--------------	-----

Material data

Fire load	0 MJ
Weight	1.1 g

Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

Commercial data

ETIM 8.0	EC000237
ETIM 7.0	EC000237
PU (SPU)	1 pcs
Packaging type	Box
Country of origin	FR
GTIN	4055143072045
Customs tariff number	85444290900


Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads


Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-3037/301-200	
--	---

Documentation

System Description

WAGO System Wiring, Selection Guide	pdf 533.15 KB	
--	------------------	---