## Data Sheet | Item Number: 734-126

Strain relief plate; for female and male connectors; 35 mm wide; 1 part; Pin spacing 3.5 mm; light gray




https://www.wago.com/734-126





Similar to illustration



#### Dimensions in mm

The arrangement of the attachments for cable ties allows single conductors or multi-core cables to be secured in different ways. The width of the cable ties must correspond to the hole dimensions of the strain relief plates shown above.

Physical data	
Width	35 mm / 1.378 inches
Height	1.87 mm / 0.074 inches
Depth	32 mm / 1.26 inches

Suitable for standard male and female connectors (2.5 mm; 3.5 mm; 7.5 mm pin spacing)

Material data	
Note (material data)	<a href="https://www.wago.com/us/material-specifications">Information on material specifications can be found here</a>
Color	light gray
Fire load	0.032 MJ
Weight	1.2 g

Commercial data	
Product Group	3 (Multi Conn. System)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs
Packaging type	Вох
Country of origin	DE
GTIN	4017332639217
Customs tariff number	85389099990

### Data Sheet | Item Number: 734-126

https://www.wago.com/734-126



#### **Environmental Product Compliance**

RoHS Compliance Status Compliant, No Exemption

#### Approvals / Certificates

#### Approvals for marine applications



Approval Standard **Certificate Name** 

IEC 61984 96/20035 (E5)

Lloyds Register

#### **Downloads**

#### **Environmental Product Compliance**

Compliance Search

**Environmental Product** 

Compliance 734-126

#### Documentation

**Additional Information** 

**Technical Section** 

03.04.2019

pdf 2010.85 KB

#### CAD/CAE-Data

CAD data

2D/3D Models 734-126

CAE data

ZUKEN Portal 734-126

#### **Installation Notes**

#### Installation



Strain relief plates for factory or in-thefield assembly

### Data Sheet | Item Number: 734-126

https://www.wago.com/734-126

# W/AGO

#### Application



Strain relief plate, for factory assembly 1-conductor female connector, 2.5 mm pin spacing, light gray, 12-pole, with strain relief plate 733-112/034-000

#### Application



Strain relief plate, for factory assembly 1-conductor female connector, 2.5 mm pin spacing, light gray, 2-pole, with strain relief plate (733-102/032-000)

Subject to changes. Please also observe the further product documentation!