

Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 1 of 26

Client Name: Shanghai JA Solar Technology Co., Ltd

Client Address: No 118, Lane 3111, West Huangcheng Road, Fengxian District, 201401 Shanghai, P.R. China.

Sample Name: Mono crystalline silicon photovoltaic (PV) module

Model No.: JAM72D40-585/LB
Client Ref. Information: See the attachment

The above sample(s) and information were provided by the client.

SGS Job No.: TIC10202307200937005MWV

Sample Receiving Date: Aug 14, 2023

Testing Period: Aug 14, 2023 ~ Sep 20, 2023

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
Total Fluorine Screening for Perfluoroalkyl and Polyfluoroalkyl Substances	See result
(PFAS) Content	
European Regulation POPs (EU) 2020/784 amending to Regulation (EU)	
2019/1021 - PFOA and its salts, PFOA-Related Substances, PFOS and its	Pass
derivatives	
Entry 68 of Regulation (EU) 2021/1297 amending Annex XVII of REACH	
Regulation (EC) No 1907/2006- C9-C14 PFCA, their salts and C9-C14 PFCA-	Pass
related substances	
Targeted 221 Perfluoroalkyl and polyfluoroalkyl substances (PFAS) Content	Pass

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Dora Hu

Approved Signatory

Dorathe





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233

t E&E (86–21) 61402553 f E&E (86–21)64953679 t HL (86–21) 61402594 f HL (86–21)61156899

www.sgsgroup.com.cn e sgs.china@sgs.com



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 2 of 26

Test Result(s):





SGS authenticate the photo on original report only

Test Part Description:

TCSt T art DCSOI			
SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	SHA23-0124214-0001.C001	Black plastic
SN2	A2	SHA23-0124214-0001.C002	Black plastic
SN3	A3	SHA23-0124214-0001.C003	Black rubber
SN4	A4	SHA23-0124214-0001.C004	Black plastic
SN5	A5	SHA23-0124214-0001.C005	White plastic
SN6	A6	SHA23-0124214-0001.C006	Black plastic
SN7	A7	SHA23-0124214-0001.C007	Black plastic
SN8	A8	SHA23-0124214-0001.C008	Black plastic
SN9	A9	SHA23-0124214-0001.C009	White adhesive
SN10	A10	SHA23-0124214-0001.C010	Black plastic
SN11	A11	SHA23-0124214-0001.C011	Black plastic
SN12	A12	SHA23-0124214-0001.C012	Beige adhesive
SN13	A13	SHA23-0124214-0001.C013	White adhesive
SN14	A14	SHA23-0124214-0001.C014	Black IC
SN15	A15	SHA23-0124214-0001.C015	Black plastic
SN16	A16	SHA23-0124214-0001.C016	Red rubber
SN17	A17	SHA23-0124214-0001.C017	Black IC
SN18	A18	SHA23-0124214-0001.C018	Silvery adhesive plastic
SN19	A19	SHA23-0124214-0001.C019	Colorful adhesive plastic
SN20	A20	SHA23-0124214-0001.C020	Blue sensitive plate



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 3 of 26

SN ID	Sample No.	SGS Sample ID	Description
SN21	A21	SHA23-0124214-0001.C021	White adhesive

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

Total Fluorine Screening for Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS) Content

Test Method: With reference to IEC 62321-3-2:2020.

Test Item(s)	Limit	Unit(s)	MDL	A1	A2	A3
PFAS (expressed as Fluorine)	50	mg/kg	20	466#	465#	ND
Conclusion				See	See	Pass
Conclusion				result	result	rass
Test Item(s)	Limit	Unit(s)	MDL	A4	A5	A6
PFAS (expressed as Fluorine)	50	mg/kg	20	393#	ND	ND
Conclusion				See	Pass	Pass
Conclusion				result	Fass	газэ
Test Item(s)	Limit	Unit(s)	MDL	A7	A8	A9
PFAS (expressed as Fluorine)	50	mg/kg	20	ND	ND	ND
Conclusion				Pass	Pass	Pass
Test Item(s)	Limit	Unit(s)	MDL	A10	A11	A12
PFAS (expressed as Fluorine)	50	mg/kg	20	ND	ND	ND
Conclusion				Pass	Pass	Pass
Test Item(s)	Limit	Unit(s)	MDL	A13	A14	A15
PFAS (expressed as Fluorine)	50	mg/kg	20	ND	ND	ND
Conclusion				Pass	Pass	Pass
Test Item(s)	Limit	Unit(s)	MDL	A16	A17	A18
PFAS (expressed as Fluorine)	50	mg/kg	20	ND	ND	ND
Conclusion				Pass	Pass	Pass
Test Item(s)	Limit	Unit(s)	MDL	A19	A20	A21
PFAS (expressed as Fluorine)	50	mg/kg	20	ND	ND	ND
Conclusion				Pass	Pass	Pass

Notes:

- (1) The maximum permissible limit is quoted from the client requirement.
- (2) In case positive results(s) is/are obtained, it cannot be ruled out that fluorine content comes from organic and/or inorganic sources. Retesting on individual PFAS has been carried out as requested to determine the compliance to the requirement.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification in and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***Total Content to the content or the content or

remail: CN. Doccheck@sgs.com 3"Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21) 64953679 www.sgsgroup.com.cn

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 • 上海 • 徐汇区宜山路889号3号楼 邮编: 200233

tHL (86–21) 61402594 fHL (86–21)61156899

e sas china@sas com



Test Report Page 4 of 26 No.: SHAEC23012421402 **Date:** Sep 22, 2023

European Regulation POPs (EU) 2020/784 amending to Regulation (EU) 2019/1021 - PFOA and its salts, PFOA-Related Substances, PFOS and its derivatives

With reference to CEN/TS 15968:2010, analysis was performed by LC-MS or LC-MS/MS Test Method:

and GC-MS.

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4
PFOS, its salts and	d related compo	ounds	,				
Perfluorooctane sulfonates (PFOS) ^{Note (1)}	1763-23-1	1	mg/kg	0.010	ND	ND	ND
N-ethylperfluoro- 1- octanesulfonamid e (N-EtFOSA)	4151-50-2	-	mg/kg	0.010	ND	ND	ND
N- methylperfluoro- 1- octanesulfonamid e (N-MeFOSA)	31506-32-8	ı	mg/kg	0.010	ND	ND	ND
2-(N- ethylperfluoro-1- octanesulfonamid o)-ethanol (N- EtFOSE)	1691-99-2	-	mg/kg	0.010	ND	ND	ND
2-(N- methylperfluoro- 1- octanesulfonamid o)-ethanol (N- MeFOSE)	24448-09-7	ı	mg/kg	0.010	ND	ND	ND
Perfluorooctane Sulfonamide (PFOSA) Note (25)	754-91-6	-	mg/kg	0.010	ND	ND	ND
Sum of Perfluorooctane sulfonates (PFOS) and its derivatives	-	1000	mg/kg	-	ND	ND	ND
PFOA, its salts				1			
Perfluorooctanoic acid (PFOA) ^{Note (2)}	335-67-1	0.025	mg/kg	0.010	ND	ND	ND
PFOA-related com	pounds		T				1
1H,1H,2H,2H- Perfluorodecanes ulfonic acid (8:2 FTS) ^{Note (3)}	39108-34-4	-	mg/kg	0.010	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 **Date**: Sep 22, 2023 Page 5 of 26

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4
Methyl perfluorooctanoat e (Me-PFOA)	376-27-2	-	mg/kg	0.1	ND	ND	ND
Ethyl perfluorooctanoat e (Et-PFOA)	3108-24-5	-	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluoro-1- decanol (8:2 FTOH) ^{Note (3)}	678-39-7	-	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorodecyl acrylate (8:2 FTA) ^{Note (3)}	27905-45-9	-	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorodecyl methacrylate (8:2 FTMA) ^{Note (3)}	1996-88-9	-	mg/kg	0.1	ND	ND	ND
Perfluoro-1- iodooctane (PFOI)	507-63-1	ı	mg/kg	0.1	ND	ND	ND
2H,2H- Perfluorodecane Acid (H2PFDA/8:2 FTCA) ^{Note (3), Note}	27854-31-5	-	mg/kg	0.010	ND	ND	ND
Sum of PFOA- related compounds	-	1.0	mg/kg	-	ND	ND	ND
Conclusion			Pass	Pass	Pass		

Entry 68 of Regulation (EU) 2021/1297 amending Annex XVII of REACH Regulation (EC) No 1907/2006- C9-C14 PFCA, their salts and C9-C14 PFCA-related substances

Test Method: With reference to CEN/TS15968:2010, analysis was performed by LC-MS or LC-MS/MS and GC-MS.

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4		
C9-C14 PFCA, their salts									
Perfluorononane Acid (PFNA) ^{Note (4)}	375-95-1	-	mg/kg	0.010	ND	ND	ND		
Perfluorodecane Acid (PFDA) ^{Note (4)}	335-76-2	ı	mg/kg	0.010	ND	ND	ND		
Perfluoroundecan oic Acid (PFUnDA) ^{Note (22)}	2058-94-8	ı	mg/kg	0.010	ND	ND	ND		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

- Building, No. 309 Tisrian Road Auful Disinct, Snangnai Chillia 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

tHL(86-21)61402594 fHL(86-21)61156899 e sgs.china



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 6 of 26

ot itoport	NO SHA	EC230124	21402	Dale.	Sep 22, 20	J Z J	rayeou
Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4
Perfluorododecan oic Acid (PFDoDA) ^{Note (4)}	307-55-1	-	mg/kg	0.010	ND	ND	ND
Perfluorotridecan oic Acid (PFTrDA) Note (24)	72629-94-8	-	mg/kg	0.010	ND	ND	ND
Perfluorotetradec anoic Acid (PFTDA)	376-06-7	-	mg/kg	0.010	ND	ND	ND
Perfluoro-3,7- dimethyloctanoic Acid (PF-3,7- DMOA)	172155-07-6	-	mg/kg	0.010	ND	ND	ND
Sum of C9-C14 PFCAs and its salts	-	0.025	mg/kg	-	ND	ND	ND
C9-C14 PFCA-rela	ted substances						
Perfluorodecane Sulfonate (PFDS) ^{Note (10)}	335-77-3	-	mg/kg	0.010	ND	ND	ND
1H,1H,2H,2H- Perfluoro-1- dodecanol (10:2 FTOH)	865-86-1	-	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorododecyla crylate (10:2 FTA)	17741-60-5	1	mg/kg	0.1	ND	ND	ND
1-lodo- 1H,1H,2H,2H- perfluorodecane (8:2 FTI)	2043-53-0	-	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorodecyltriet hoxysilane (8:2 FTSi(OC ₂ H ₅) ₃)	101947-16-4	-	mg/kg	0.1	ND	ND	ND
2H,2H,3H,3H- Perfluoroundecan oic acid (H ₄ PFUnDA/ 8:3 FTCA) ^{Note (12)}	34598-33-9	1	mg/kg	0.010	ND	ND	ND
1H,1H,2H,2H- Perfluorododecyl methacrylate (10:2 FTMA)	2144-54-9	-	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- perfluorotetradec an-1-ol (12:2 FTOH)	39239-77-5	-	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorododecan	120226-60-0	-	mg/kg	0.010	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 **Date**: Sep 22, 2023 Page 7 of 26

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4
e sulfonic acid (10:2 FTS)							
1,1,2,2- Tetrahydroperfluo rododecyl iodide (10:2 FTI)	2043-54-1	-	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorotetradec yl iodide (12:2 FTI)	30046-31-2	-	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorodecanes ulfonic acid (8:2 FTS) ^{Note (3)}	39108-34-4	-	mg/kg	0.010	ND	ND	ND
1H,1H,2H,2H- Perfluorodecyl acrylate (8:2 FTA) ^{Note (3)}	27905-45-9	-	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorodecyl methacrylate (8:2 FTMA) ^{Note (3)}	1996-88-9	-	mg/kg	0.1	ND	ND	ND
2H,2H- Perfluorodecane Acid (H2PFDA/8:2 FTCA) ^{Note (3), Note}	27854-31-5	-	mg/kg	0.010	ND	ND	ND
1H,1H,2H,2H- Perfluoro-1- decanol (8:2 FTOH) ^{Note (3)}	678-39-7	-	mg/kg	0.1	ND	ND	ND
Sum of C9-C14 PFCA-related substances	-	0.260	mg/kg	-	ND	ND	ND
Conclusion					Pass	Pass	Pass

Targeted 221 Perfluoroalkyl and polyfluoroalkyl substances (PFAS) Content

Test Method: With reference to CEN/TS 15968:2010, analysis was performed by LC-MS or LC-MS/MS and GC-MS.

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4	
PFOS, its salts and related compounds								
Perfluorooctane sulfonates (PFOS) ^{Note (1)}	1763-23-1	Prohibit ed	mg/kg	0.010	ND	ND	ND	
N-ethylperfluoro- 1-	4151-50-2	Prohibit ed	mg/kg	0.010	ND	ND	ND	

中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, dor electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

t HL (86-21) 61402594 f HL (86-21) 61156899



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 8 of 26

		12020012-			OOP 22, 20		r age o or
Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4
octanesulfonamid e (N-EtFOSA)							
N- methylperfluoro- 1- octanesulfonamid e (N-MeFOSA)	31506-32-8	Prohibit ed	mg/kg	0.010	ND	ND	ND
2-(N- ethylperfluoro-1- octanesulfonamid o)-ethanol (N- EtFOSE)	1691-99-2	Prohibit ed	mg/kg	0.010	ND	ND	ND
2-(N- methylperfluoro- 1- octanesulfonamid o)-ethanol (N- MeFOSE)	24448-09-7	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorooctane Sulfonamide (PFOSA) Note (25)	754-91-6	Prohibit ed	mg/kg	0.010	ND	ND	ND
PFOA, its salts							
Perfluorooctanoic acid (PFOA) ^{Note (2)}	335-67-1	Prohibit ed	mg/kg	0.010	ND	ND	ND
PFOA-related com	pounds		T				
1H,1H,2H,2H- Perfluorodecanes ulfonic acid (8:2 FTS) ^{Note (3)}	39108-34-4	Prohibit ed	mg/kg	0.010	ND	ND	ND
Methyl perfluorooctanoat e (Me-PFOA)	376-27-2	Prohibit ed	mg/kg	0.1	ND	ND	ND
Ethyl perfluorooctanoat e (Et-PFOA)	3108-24-5	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluoro-1- decanol (8:2FTOH) ^{Note (3)}	678-39-7	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorodecyl acrylate (8:2 FTA) ^{Note (3)}	27905-45-9	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorodecyl methacrylate (8:2 FTMA) ^{Note (3)}	1996-88-9	Prohibit ed	mg/kg	0.1	ND	ND	ND
Perfluoro-1- iodooctane (PFOI)	507-63-1	Prohibit ed	mg/kg	0.1	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 9 of 26

rioport	NO SITE	21402	Date. Sep 22, 2023			rage 9 01	
Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4
2H,2H- Perfluorodecane Acid (H2PFDA/8:2 FTCA) ^{Note (3), Note}	27854-31-5	Prohibit ed	mg/kg	0.010	ND	ND	ND
C9-C14 PFCA, the	ir salts	ı	<u>I</u>				
Perfluorononane Acid (PFNA) ^{Note (4)}	375-95-1	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorodecane Acid (PFDA) ^{Note (4)}	335-76-2	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluoroundecan oic Acid (PFUnDA) ^{Note (22)}	2058-94-8	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorododecan oic Acid (PFDoDA) ^{Note (4)}	307-55-1	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorotridecan oic Acid (PFTrDA) Note (24)	72629-94-8	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorotetradec anoic Acid (PFTDA)	376-06-7	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluoro-3,7- dimethyloctanoic Acid (PF-3,7- DMOA)	172155-07-6	Prohibit ed	mg/kg	0.010	ND	ND	ND
C9-C14 PFCA-rela	ted substances	}					
Perfluorodecane Sulfonate (PFDS) ^{Note (10)}	335-77-3	Prohibit ed	mg/kg	0.010	ND	ND	ND
1H,1H,2H,2H- Perfluoro-1- dodecanol (10:2 FTOH)	865-86-1	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorododecyla crylate (10:2 FTA)	17741-60-5	Prohibit ed	mg/kg	0.1	ND	ND	ND
1-lodo- 1H,1H,2H,2H- perfluorodecane (8:2 FTI)	2043-53-0	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorodecyltriet hoxysilane (8:2 FTSi(OC ₂ H ₅) ₃)	101947-16-4	Prohibit ed	mg/kg	0.1	ND	ND	ND
2H,2H,3H,3H- Perfluoroundecan oic acid	34598-33-9	Prohibit ed	mg/kg	0.010	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, dor electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 10 of 26

st Report	No.: SHA	EC230124	21402	Date:	: Sep 22, 20)23	Page 10 c
Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4
(H ₄ PFUnDA/ 8:3 FTCA) ^{Note (12)}							
1H,1H,2H,2H- Perfluorododecyl methacrylate (10:2 FTMA)	2144-54-9	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- perfluorotetradec an-1-ol (12:2 FTOH)	39239-77-5	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorododecan e sulfonic acid (10:2 FTS)	120226-60-0	Prohibit ed	mg/kg	0.010	ND	ND	ND
1,1,2,2- Tetrahydroperfluo rododecyl iodide (10:2 FTI)	2043-54-1	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorotetradec yl iodide (12:2 FTI)	30046-31-2	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorodecanes ulfonic acid (8:2 FTS) Note (3)	39108-34-4	Prohibit ed	mg/kg	0.010	ND	ND	ND
1H,1H,2H,2H- Perfluoro-1- decanol (8:2 FTOH) ^{Note (3)}	678-39-7	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorodecyl acrylate (8:2 FTA) Note (3)	27905-45-9	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorodecyl methacrylate (8:2 FTMA) Note (3)	1996-88-9	Prohibit ed	mg/kg	0.1	ND	ND	ND
2H,2H- Perfluorodecane Acid (H2PFDA/8:2 FTCA) Note (3), Note	27854-31-5	Prohibit ed	mg/kg	0.010	ND	ND	ND
PFHxS, its salts							
Perfluorohexane Sulfonate (PFHxS) ^{Note (7)}	355-46-4	Prohibit ed	mg/kg	0.010	ND	ND	ND
PFHxS-related cor	npounds						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

Co.,Ltd. | 3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 11 of 26

or report	NO SITE	120230124	21702	Date.	Sep 22, 20	J25	rage 110
Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4
N- Methylperfluoro- 1- hexanesulfonami de (N-Me- PFHxSA)	68259-15-4	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorohexane sulfonamide (PFHxSA)	41997-13-1	Prohibit ed	mg/kg	0.010	ND	ND	ND
N-[3- (dimethylamino)pr opyl] tridecafluorohexa nesulphonamide (N-AP-FHxSA)	50598-28-2	Prohibit ed	mg/kg	0.010	ND	ND	ND
2- [methyl[(tridecaflu orohexyl) sulphonyl]amino]e thyl acrylate)) (N- MeFHSEA)	67584-57-0	Prohibit ed	mg/kg	0.5	ND	ND	ND
Other PFAS							
Perfluorobutane Acid (PFBA) ^{Note}	375-22-4	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorobutane Sulfonate (PFBS) ^{Note (5)}	375-73-5	Prohibit ed	mg/kg	0.010	ND	ND	ND
1,1,2,2,3,3,4,4,4- nonafluoro-N-(2- hydroxyethyl)-N- methylbutane-1- sulphonamide (PFBS-NC ₃ H ₈ O)	34454-97-2	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluoropentane Acid (PFPeA) ^{Note}	2706-90-3	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorohexane Acid (PFHxA) ^{Note}	307-24-4	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluoroheptane Acid (PFHpA) ^{Note}	375-85-9	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluoroheptane sulfonic Acid (PFHpS) ^{Note (8)}	375-92-8	Prohibit ed	mg/kg	0.010	ND	ND	ND
7H- Dodecanefluoroh eptane Acid (7HPFHpA)	1546-95-8	Prohibit ed	mg/kg	0.010	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 12 of 26

i Kebort	No.: SHAEC23012421402				Date: Sep 22, 2023		
Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4
1H,1H,2H,2H- Perfluorooctanes ulphonic acid (6:2 FTS) Note (26)	27619-97-2	Prohibit ed	mg/kg	0.010	ND	ND	ND
1H,1H,2H,2H- Perfluorooctylacry late (6:2 FTA)	17527-29-6	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluoro-1- hexanol (4:2 FTOH)	2043-47-2	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluoro-1- octanol (6:2 FTOH)	647-42-7	Prohibit ed	mg/kg	0.1	ND	ND	ND
2,3,3,3- tetrafluoro-2- (heptafluoropropo xy) propionic acid (HFPO-DA) ^{Note (9)}	13252-13-6	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorooctane sulfonamidoacetic Acid (FOSAA)	2806-24-8	Prohibit ed	mg/kg	0.010	ND	ND	ND
N- Methylperfluoro- 1- octanesulfonamid oacetic Acid (N- MeFOSAA)	2355-31-9	Prohibit ed	mg/kg	0.010	ND	ND	ND
N- Ethylperfluoroocta ne sulfonamidoacetic Acid (N- EtFOSAA)	2991-50-6	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluoropentane sulfonic acid (PFPeS) ^{Note (18)}	2706-91-4	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluoro nonane sulfonic acid (PFNS) ^{Note (19)}	68259-12-1	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluoroundecan e sulfonic acid (PFUnDS) ^{Note (16)}	749786-16-1	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorododecan esulfonic acid (PFDoDS) ^{Note (20)}	79780-39-5	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorotridecan e sulfonic acid (PFTrDS) ^{Note (21)}	791563-89-8	Prohibit ed	mg/kg	0.010	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification in and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck-&cass.com

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 13 of 26

i Keport	No.: SHAEC23012421402			Date: Sep 22, 2023			Page 13 o
Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4
1H,1H,2H,2H- Perfluorohexanes ulfonic acid (4:2 FTS)	757124-72-4	Prohibit ed	mg/kg	0.010	ND	ND	ND
2-Perfluorohexyl ethanoic acid (6:2 FTCA)	53826-12-3	Prohibit ed	mg/kg	0.010	ND	ND	ND
3-Perfluoropentyl propanoic acid (5:3 FTCA)	914637-49-3	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorohexadec anoic Acid (PFHxDA)	67905-19-5	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluorooctadec anoic Acid (PFODA)	16517-11-6	Prohibit ed	mg/kg	0.010	ND	ND	ND
bis(3,3,4,4,5,5,6,6 ,7,7,8,8,9,9,10,10, 10- heptadecafluorod ecyl) hydrogen phosphate (8:2diPAP) ^{Note (15)}	678-41-1	Prohibit ed	mg/kg	0.010	ND	ND	ND
1H,1H,2H,2H- Perfluorooctyl methacrylate (6:2 FTMA)	2144-53-8	Prohibit ed	mg/kg	0.1	ND	ND	ND
4,8-Dioxa-3H- perfluorononanoic acid (ADONA)	919005-14-4	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluoro-3- methoxypropanoi c acid (PFMPA)	377-73-1	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluoro-4- methoxybutanoic acid (PFMBA)	863090-89-5	Prohibit ed	mg/kg	0.010	ND	ND	ND
Nonafluoro-3,6- dioxaheptanoic acid (NFDHA)	151772-58-6	Prohibit ed	mg/kg	0.010	ND	ND	ND
9- Chlorohexadecafl uoro-3- oxanonane-1- sulfonic acid (9CI- PF3ONS)	756426-58-1	Prohibit ed	mg/kg	0.010	ND	ND	ND
11- Chloroeicosafluor o-3- oxaundecane-1- sulfonic acid (11Cl-PF3OUdS)	763051-92-9	Prohibit ed	mg/kg	0.010	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 14 of 26

- I				- - - - - - - - - -	OCP 22, 20	320	i ago i + o
Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2	A4
Perfluoro(2- ethoxyethane)sulf onic acid (PFEESA)	113507-82-7	Prohibit ed	mg/kg	0.010	ND	ND	ND
3-Perfluoropropyl propanoic acid (3:3 FTCA)	356-02-5	Prohibit ed	mg/kg	0.010	ND	ND	ND
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	Prohibit ed	mg/kg	0.010	ND	ND	ND
Perfluoropentade canoic Acid (PFPeDA)	141074-63-7	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H,2H- Perfluorohexyl methacrylate (4:2 FTMA)	1799-84-4	Prohibit ed	mg/kg	0.1	ND	ND	ND
2-(N- ethylperfluoroocta nesulfamido) ethyl acrylate (EtFOSAC)	423-82-5	Prohibit ed	mg/kg	0.1	ND	ND	ND
1H,1H,2H- Heptadecafluoro- 1-decene (PFDE)	21652-58-4	Prohibit ed	mg/kg	0.1	ND	ND	ND
Perfluorooctyl triethoxysilane (POTS)	51851-37-7	Prohibit ed	mg/kg	0.1	ND	ND	ND
Perfluorododecyl iodide (PFDoDI)	307-60-8	Prohibit ed	mg/kg	0.1	ND	ND	ND
Perfluorodecyl iodide (PFDI)	423-62-1	Prohibit ed	mg/kg	0.1	ND	ND	ND
11H- Perfluoroundecan oic acid (11H- PFUnDA) Note (23)	1765-48-6	Prohibit ed	mg/kg	0.1	ND	ND	ND
Conclusion		Pass	Pass	Pass			

Notes:

(1) PFOS refer to its salts/derivative including

PFOS-K CAS No.: 2795-39-3 PFOS-Li CAS No.: 29457-72-5 PFOS-Na CAS No.: 4021-47-0 PFOS-NH₄ CAS No.: 29081-56-9 PFOS-NH₂(C₂H₄OH)₂ CAS No.: 70225-14-8 PFOS-N(C₂H₅)₄ CAS No.: 56773-42-3 $PFOS-N(C_{10}H_{21})_2(CH_3)_2$ CAS No.: 251099-16-8 **POSF** CAS No.: 307-35-7 CAS No.: 91036-71-4 POSF-Mg

(2) PFOA refer to its salts/derivative including



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 **Date**: Sep 22, 2023 Page 15 of 26

 PFOA-Na
 CAS No.: 335-95-5

 PFOA-K
 CAS No.: 2395-00-8

 PFOA-Ag
 CAS No.: 335-93-3

 PFOA-F
 CAS No.: 335-66-0

 APFO
 CAS No.: 3825-26-1

 PFOA-Li
 CAS No.: 17125-58-5

(3) PFAS classified as both PFOA-related compounds and C9-C14 PFCA-related substances.

8:2 FTS refer to its salts including

8:2 FTS-K CAS No.: 438237-73-1 8:2 FTS-NH₄ CAS No.: 149724-40-3 8:2 FTS-Na CAS No.: 27619-96-1

(4) PFNA refer to its salts including

PFNA-Na CAS No.: 21049-39-8
PFNA-NH4 CAS No.: 4149-60-4
PFNA-K CAS No.: 21049-38-7
PFNA-Li CAS No.: 60871-92-3
PFNA-Aq CAS No.: 7358-16-9

PFDA refer to its salts including

PFDA-Na CAS No. 3830-45-3
PFDA-NH₄ CAS No: 3108-42-7
PFDA-K CAS No: 51604-85-4
PFDA-Ag CAS No: 5784-82-7
PFDA-Li CAS No: 84743-32-8

PFDoDA refer to its salts including

PFDoDA-NH₄ CAS No: 3793-74-6 PFDoDA-Na CAS No: 60872-01-7

(5) PFBS refers to its salts/derivative including

CAS No.: 29420-49-3 PFBS-K PFBS-H₂O CAS No.: 59933-66-3 PFBS-Li CAS No.: 131651-65-5 **TPS-PFBS** CAS No.: 144317-44-2 PFBS-S(CH₃)₂C₆H₅ CAS No.: 220133-51-7 PFBS-P(C₄H₉)₄ CAS No.: 220689-12-3 CAS No.: 25628-08-4 PFBS-N(C_2H_5)₄ CAS No.: 375-72-4 PFBS-F PFBS-NC₄H₉O CAS No.: 503155-89-3 CAS No.: 507453-86-3 PFBS-Mg CAS No.: 68259-10-9 PFBS-NH₄ PFBS-SC₁₈H₂₃O CAS No.: 209482-18-8 PFBS-CI CAS No.: 2991-84-6 PFBS-Na CAS No.: 60453-92-1 PFBS-I(C₆H₄)₂(C₄H₉)₂ CAS No.: 194999-85-4 PFBS-NH(C₂H₅O)₂ CAS No.: 70225-18-2

(6) PFHxA refers to its salt including

APFHx
PFHxA-Na
PFHxA-K
PFHxA-F
PFHxA-Ag
PFHxA-Li
CAS No.: 21615-47-4
CAS No.: 2923-26-4
CAS No.: 3109-94-2
CAS No.: 355-38-4
CAS No.: 336-02-7
CAS No.: 90430-61-8

(7) PFHxS refers to its salts including

PFHxS-Na CAS No.: 82382-12-5



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 144: or email: CN.Doccheck@sas.com

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 www.sgsgroup.com.cn e_sas.china@sas.com



Test Report No.: SHAEC23012421402 Date: Sep 22, 2023 Page 16 of 26

PFHxS-K CAS No.: 3871-99-6 PFHxS-Li CAS No.: 55120-77-9 PFHxS-NH₄ CAS No.: 68259-08-5 PFHxS-BTPP CAS No.: 1000597-52-3 CAS No.: 108427-54-9 PFHxS-N(C₄H₉)₄ CAS No.: 108427-55-0 PFHxS-N(C₂H₅)₄ CAS No.: 1187817-57-7 PFHxS-NC₄H₉ CAS No.: 1310480-24-0 PFHxS-(NC₁₀H₁₄)₃C₅H₄ CAS No.: 1310480-27-3 PFHxS-(NC₈H₁₀)₂C₁₃H₁₂ CAS No.: 1310480-28-4 PFHxS-(NC₈H₁₀)₂C₁₇H₁₂ PFHxS-C₄₂H₇₀O₃₅ CAS No.: 1329995-45-0 CAS No.: 1329995-69-8 PFHxS-C₄₈H₈₀O₄₀ CAS No.: 144116-10-9 TPS-PFHxS PFHxS-C₄₄H₃₇N₂O₂ CAS No.: 1462414-59-0 PFHxS-I(C₆H₅)₂ CAS No.: 153443-35-7 PFHxS-TMA CAS No.: 189274-31-5 PFHxS-NH₂(CH₃)₃ CAS No.: 202189-84-2 $PFHxS-I(C_6H_4)_2(C_4H_9)_2$ CAS No.: 213740-81-9 PFHxS-Ga CAS No.: 341035-71-0 PFHxS-S(C₇H₇)₂C₆H₅ CAS No.: 341548-85-4 PFHxS-Sc CAS No.: 350836-93-0 PFHxS-Nd CAS No.: 41184-65-0 PFHxS-Y CAS No.: 41242-12-0 CAS No.: 421555-73-9 PFHxS-S₃(C₆H₅)₄(C₆H₄)₂ $PFHxS-I(C_6H_4)_2(C_5H_{11})_2$ CAS No.: 421555-74-0 CAS No.: 423-50-7 PFHxS-F CAS No.: 425670-70-8 $PFHxS-S(C_6H_4)_3(C_4H_9)_3$ CAS No.: 70136-72-0 PFHxS-Zn PFHxS-NH(C₂H₅O)₂ CAS No.: 70225-16-0 PFHxS-N(C₂H₅)₃ CAS No.: 72033-41-1 $PFHxS-I(C_6H_4)_2(C_4H_9)_2$ CAS No.: 866621-50-3 PFHxS-S(C₆H₅)₂C₇H₇ CAS No.: 910606-39-2 CAS No.: 911027-68-4 PFHxS-S(C_6H_5)₂ $C_{10}H_9O_2$ CAS No.: 92011-17-1 PFHxS-Cs CAS No.: 928049-42-7 PFHxS-SC₂₈H₃₁O₄ CAS No.: 55591-23-6 PFHxS-CI PFHxS-Sulfonium, propenoate polymer CAS No.: 911027-69-5

(8) PFHpS refers to its salts including

PFHpS-Na CAS No.: 21934-50-9 PFHpS-K CAS No.: 60270-55-5 PFHpS-NH₄ CAS No.: 68259-07-4 PFHpS-Li CAS No.: 117806-54-9

(9) HFPO-DA refers to its salts including

HFPO-DA-NH₄ CAS No.: 62037-80-3 HFPO-DA-K CAS No.: 67118-55-2 CAS No.: 2062-98-8 HFPO-DA-F

(10)PFDS refer to its salts including

CAS No.: 2806-15-7 PFDS-Na PFDS-K CAS No.: 2806-16-8 PFDS-NH₄ CAS No.: 67906-42-7 (11)H2PFDA / 8:2 FTCA refer to its salt/derivative including CAS No.: 882489-14-7 8:2 FTCA-P(C₄H₉)₄



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 t HL (86-21) 61402594 f HL (86-21)61156899



Test Report SHAEC23012421402 No · **Date:** Sep 22, 2023 Page 17 of 26 (12)H4PFUnDA/ 8:3 FTCA refer to its salts including H4PFUnDA-K CAS No.: 83310-58-1 (13)PFBA refers to its salts including PFBA-NH₄ CAS No.: 10495-86-0 PFBA-Na CAS No.: 2218-54-4 CAS No.: 2966-54-3 PFBA-K CAS No.: 3794-64-7 PFBA-Ag PFBA-Li CAS No.: 4146-76-3 (14)PFHpA refers to its salts including CAS No.: 20109-59-5 PFHpA-Na PFHpA-K CAS No.: 21049-36-5 PFHpA-NH₄ CAS No.: 6130-43-4 PFHpA-Cs CAS No.: 171198-24-6 PFHpA-Ag CAS No.: 424-05-5 PFHpA-Li CAS No.: 60871-90-1 (15)8:2diPAP refers to its salts including 8:2diPAP-Na CAS No.: 114519-85-6 (16)PFUnDS refers to its salts including PFUnDS-Na CAS No.: 441296-91-9 (anion) (17)PFPeA refers to its salts including CAS No.: 2706-89-0 PFPeA-Na PFPeA-K CAS No.: 336-23-2 PFPeA-NH₄ CAS No.: 68259-11-0 CAS No.: 198482-22-3 PFPeA-Li CAS No.: 2795-30-4 PFPeA-Ag (18)PFPeS refers to its salts including CAS No.: 630402-22-1 PFPeS-Na CAS No.: 3872-25-1 PFPeS-K PFPeS-NH₄ CAS No.: 68259-09-6 (19)PFNS refers to its salts including PFNS-Na CAS No.: 98789-57-2 PFNS-NH₄ CAS No.: 17202-41-4 PFNS-K CAS No.: 29359-39-5 (20)PFDoDS refers to its salts including PFDoDS-Na CAS No.: 1260224-54-1 (21)PFTrDS refers to its salts including CAS No.: 174675-49-1 PFTrDS-Na (22)PFUnDA refers to its salts including PFUnDA-Na CAS No.: 60871-96-7 PFUnDA-NH₄ CAS No.: 4234-23-5 CAS No.: 30377-53-8 PFUnDA-K (23)11H-PFUnDA refers to its salts including 11H-PFUnDA-K CAS No.: 307-71-1 11H-PFUnDA-NH₄ CAS No.: 5081-02-7 (24)PFTrDA refers to its salts including CAS No.: 4288-72-6 PFTrDA-NH₄ (25)PFOSA refers to its salts including PFOSA-Li CAS No.: 76752-79-9 (26)6:2 FTS refers to its salts including 6:2 FTS-Na CAS No.: 27619-94-9 6:2 FTS-K CAS No.: 59587-38-1 6:2 FTS-NH₄ CAS No.: 59587-39-2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 144: or email: CN.Doccheck@sas.com

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 t HL (86–21) 61402594 f HL (86–21)61156899

www.sgsgroup.com.cn e sgs.china@sgs.com



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 18 of 26

(27)The maximum permissible limit is quoted from the client requirement. If PFAS is detected, it is recommended to refer to relevant regulatory remarks to confirm the relevant requirements of PFAS.

Relevant regulations remarks:

US Market Related PFAS regulations in the United States include but not limit to:								
Region	Legislation/ Bill	Scope	Implementation date	Requirement				
Maine	38 M.R.S. §1614 (LD 1503)	All products	2023.1.1	A manufacturer of a product for sale in the state that contains intentionally added PFAS shall submit a notification				
			2030.1.1	Prohibited if PFAS have been intentionally added				
Minnesota	HF 1000	Cookware, et al.	2025.1.1	Prohibited if PFAS have been intentionally added				
		All products	2026.1.1	A manufacturer of a product for sale in the state that contains intentionally added PFAS shall submit a notification				
Rhode Island	S 0016	Cookware, et al.	2025.1.1	Prohibited if PFAS have been intentionally added				
		All products	2026.1.1	A manufacturer of a product for sale in the state that contains intentionally added PFAS shall submit a notification				
Vermont	HB 152	Cookware, et al.	2024.1.1	Prohibited if PFAS have been intentionally added				
		All products	2030.1.1	Prohibited if PFAS have been intentionally added				
California	AB 1200	Food packaging substantially made of paper, paperboard, or derived from plant fibers	2023.1.1	Prohibited if either intentionally added that has a functional or technical effect, or ≥ 100 ppm (as total organic fluorine)				
		In handle of cookware or any cookware surface that comes into contact with food, foodstuffs or beverages	2023.1.1	Disclosure of the PFAS presence in cookware on internet website for online sales				
			2024.1.1	List the presence of PFAS on product label				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, dor electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 19 of 26

, itopoit	NO	31 IALC230 12	242 1402	Date. Sep 22, 2023
Colorado	HB 22-1345	In handle of cookware or any cookware surface that comes into contact with food, foodstuffs or beverages	2024.1.1	List the presence of PFAS on product label
EU market F	Related PFAS re	gulations in the	EU include but no	t limit to:
Region	Legislation	Scope	Implementation date	Requirement
EU	POPs	Substances, mixtures and articles	2020.7.4	Sum of PFOA and its salts ≤0.025 mg/kg Sum of PFOA- related substances ≤1 mg/kg
			2010.8.26	Sum of PFOS and its derivatives in - Substance/ mixture: ≤ 10 mg/kg - Article: ≤ 1000 mg/kg - Textile or other coated materials: ≤1 µg/m²
EU	REACH	Substances, mixtures and articles	2023.2.25	Sum of C9-C14 PFCA and its salts ≤0.025 mg/kg Sum of C9-C14 PFCA-related substances ≤0.26 mg/kg
EU	REACH	Substances, mixtures and articles	Proposal	Any targeted PFAS≤25 µg/kg Sum of targeted PFAS≤250 µg/kg PFAS (polymeric PFAS included) ≤50 mg/kg If total fluorine exceeds 50 mg/kg, provide a proof for the fluorine measured as content of either PFAS or non- PFAS.

Remark:

= Exceed the limit.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond


3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report ATTACHMENTS

No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 20 of 26

PFASs/ PFOS/PFOA Testing Flow Chart





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, dor electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 Date: Sep 22, 2023 Page 21 of 26

Attachment:

Maximum System Voltage: 1500 V

JAM72D40-580/LB, JAM72D40-585/LB, JAM72D40-590/LB, JAM72D40-595/LB, JAM72D40-600/LB, JAM72D40-605/LB

JAM54D40-435/LB, JAM54D40-440/LB, JAM54D40-445/LB, JAM54D40-450/LB, JAM54D40-455/LB

JAM54D41-425/LB, JAM54D41-430/LB, JAM54D41-435/LB, JAM54D41-440/LB, JAM54D41-445/LB, JAM54D41-450/LB

JAM72D42-610/LB, JAM72D42-615/LB, JAM72D42-620/LB, JAM72D42-625/LB, JAM72D42-630/LB

JAM66D45-595/LB, JAM66D45-600/LB, JAM66D45-605/LB, JAM66D45-610/LB, JAM66D45-615/LB, JAM66D45-620/LB

JAM60D45-540/LB, JAM60D45-545/LB, JAM60D45-550/LB, JAM60D45-555/LB, JAM60D45-560/LB, JAM60D45-565/LB

JAM78D40-610/GB, JAM78D40-615/GB, JAM78D40-620/GB, JAM78D40-625/GB, JAM78D40-630/GB

JAM72D40-560/GB, JAM72D40-565/GB, JAM72D40-570/GB, JAM72D40-575/GB,

JAM72D40-580/GB, JAM72D40-585/GB

JAM54D40-420/GB, JAM54D40-425/GB, JAM54D40-430/GB, JAM54D40-435/GB,

JAM54D41-415/GB, JAM54D41-420/GB, JAM54D41-425/GB, JAM54D41-430/GB, JAM54D41-435/GB,

JAM78D40-610/MB, JAM78D40-615/MB, JAM78D40-620/MB, JAM78D40-625/MB, JAM78D40-630/MB JAM72D40-560/MB, JAM72D40-565/MB, JAM72D40-570/MB, JAM72D40-575/MB, JAM72D40-580/MB, JAM72D40-585/MB

JAM54D40-420/MB, JAM54D40-425/MB, JAM54D40-430/MB, JAM54D40-435/MB

JAM72D30-555/LB, JAM72D30-560/LB, JAM72D30-565/LB, JAM72D30-570/LB, JAM72D30-575/LB, JAM72D30-580/LB

JAM72D30-540/GB, JAM72D30-545/GB, JAM72D30-550/GB, JAM72D30-555/GB, JAM72D30-560/GB, JAM72D30-565/GB

JAM72D40-580/HB, JAM72D40-585/HB, JAM72D40-590/HB, JAM72D40-595/HB, JAM72D40-600/HB, JAM72D40-605/HB, JAM72D40-610/HB

JAM54D40-430/HB, JAM54D40-435/HB, JAM54D40-440/HB, JAM54D40-445/HB, JAM54D40-450/HB, JAM54D40-455/HB

JAM54D41-425/HB, JAM54D41-430/HB, JAM54D41-435/HB, JAM54D41-440/HB, JAM54D41-445/HB, JAM54D41-450/HB, JAM54D41-455/HB

JAM78D30-580/MB, JAM72D30-585/MB, JAM78D30-590/MB, JAM78D30-595/MB, JAM78D30-600/MB

JAM72D30-535/MB, JAM72D30-540/MB, JAM72D30-545/MB, JAM72D30-550/MB, JAM72D30-555/MB

JAM72D20-440/MB, JAM72D20-445/MB JAM72D20-450/MB, JAM72D20-455/MB, JAM72D20-460/MB, JAM72D20-465/MB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 Date: Sep 22, 2023 Page 22 of 26

JAM72D40-580/LB/1500V, JAM72D40-585/LB/1500V, JAM72D40-590/LB/1500V, JAM72D40-595/LB/1500V, JAM72D40-600/LB/1500V, JAM72D40-605/LB/1500V

JAM54D40-435/LB/1500V, JAM54D40-440/LB/1500V, JAM54D40-445/LB/1500V, JAM54D40-450/LB/1500V, JAM54D40-455/LB/1500V

JAM54D41-425/LB/1500V, JAM54D41-430/LB/1500V, JAM54D41-435/LB/1500V, JAM54D41-440/LB/1500V, JAM54D41-445/LB/1500V, JAM54D41-450/LB/1500V

JAM72D42-610/LB/1500V, JAM72D42-615/LB/1500V, JAM72D42-620/LB/1500V, JAM72D42-625/LB/1500V, JAM72D42-630/LB/1500V

JAM66D45-595/LB/1500V, JAM66D45-600/LB/1500V, JAM66D45-605/LB/1500V, JAM66D45-610/LB/1500V, JAM66D45-615/LB/1500V, JAM66D45-620/LB/1500V

JAM60D45-540/LB/1500V, JAM60D45-545/LB/1500V, JAM60D45-550/LB/1500V, JAM60D45-555/LB/1500V, JAM60D45-560/LB/1500V, JAM60D45-565/LB/1500V

JAM78D40-610/GB/1500V, JAM78D40-615/GB/1500V, JAM78D40-620/GB/1500V, JAM78D40-625/GB/1500V, JAM78D40-630/GB/1500V

JAM72D40-560/GB/1500V, JAM72D40-565/GB/1500V, JAM72D40-570/GB/1500V, JAM72D40-575/GB/1500V, JAM72D40-580/GB/1500V, JAM72D40-585/GB/1500V

JAM54D40-420/GB/1500V, JAM54D40-425/GB/1500V, JAM54D40-430/GB/1500V, JAM54D40-435/GB/1500V,

JAM54D41-415/GB/1500V, JAM54D41-420/GB/1500V, JAM54D41-425/GB/1500V, JAM54D41-430/GB/1500V, JAM54D41-435/GB/1500V,

JAM78D40-610/MB/1500V, JAM78D40-615/MB/1500V, JAM78D40-620/MB/1500V, JAM78D40-625/MB/1500V, JAM78D40-630/MB/1500V

JAM72D40-560/MB/1500V, JAM72D40-565/MB/1500V, JAM72D40-570/MB/1500V, JAM72D40-575/MB/1500V, JAM72D40-580/MB/1500V, JAM72D40-585/MB/1500V

JAM54D40-420/MB/1500V, JAM54D40-425/MB/1500V, JAM54D40-430/MB/1500V, JAM54D40-435/MB/1500V

JAM72D30-555/LB/1500V, JAM72D30-560/LB/1500V, JAM72D30-565/LB/1500V, JAM72D30-570/LB/1500V, JAM72D30-575/LB/1500V, JAM72D30-580/LB/1500V

JAM72D30-540/GB/1500V, JAM72D30-545/GB/1500V, JAM72D30-550/GB/1500V, JAM72D30-555/GB/1500V, JAM72D30-560/GB/1500V, JAM72D30-565/GB/1500V

JAM72D40-580/HB/1500V, JAM72D40-585/HB/1500V, JAM72D40-590/HB/1500V, JAM72D40-595/HB/1500V, JAM72D40-600/HB/1500V, JAM72D40-605/HB/1500V, JAM72D40-610/HB/1500V

JAM54D40-430/HB/1500V, JAM54D40-435/HB/1500V, JAM54D40-440/HB/1500V, JAM54D40-445/HB/1500V, JAM54D40-450/HB/1500V, JAM54D40-455/HB/1500V

JAM54D41-425/HB/1500V, JAM54D41-430/HB/1500V, JAM54D41-435/HB/1500V, JAM54D41-440/HB/1500V, JAM54D41-445/HB/1500V, JAM54D41-450/HB/1500V, JAM54D41-455/HB/1500V

JAM78D30-580/MB/1500V, JAM72D30-585/MB/1500V, JAM78D30-590/MB/1500V, JAM78D30-595/MB/1500V, JAM78D30-600/MB/1500V



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No.: SHAEC23012421402 Page 23 of 26 **Date:** Sep 22, 2023

JAM72D30-535/MB/1500V, JAM72D30-540/MB/1500V, JAM72D30-545/MB/1500V, JAM72D30-550/MB/1500V, JAM72D30-555/MB/1500V

JAM72D20-440/MB/1500V, JAM72D20-445/MB/1500V JAM72D20-450/MB/1500V, JAM72D20-455/MB/1500V, JAM72D20-460/MB/1500V, JAM72D20-465/MB/1500V



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, dor electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio


3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233





Test Report No.: SHAEC23012421402 **Date:** Sep 22, 2023 Page 24 of 26


Sample photos:

















Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233





Test Report No.: SHAEC23012421402 Page 25 of 26 **Date:** Sep 22, 2023















Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-


3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report SHAEC23012421402 Page 26 of 26 No.: Date: Sep 22, 2023









SGS authenticate the photo on original report only *** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, dor electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233