


PROLUMIA®

PRO-CUBE

WALL-MOUNTED LUMINAIRE

A NEW DIMENSION OF LIGHT THAT
ACCENTUATES WALLS OR FAÇADES AND BRINGS
INTERIORS OR EXTERIORS TO LIFE

BREAK
THE MONOTONY
WITH STYLISH LIGHT
ACCENTS ON WALLS
AND FAÇADES





PRO-CUBE

WALL-MOUNTED LUMINAIRE

A NEW DIMENSION OF LIGHT THAT ACCENTUATES WALLS OR FAÇADES AND BRINGS INTERIORS OR EXTERIORS TO LIFE

The Pro-Cube wall luminaire, with its cube shape, offers indirect lighting both upwards and downwards, its beam can be adjusted with slats. With its IP65 protection rating, it can be used both outdoors as façade lighting and indoors, on the wall, even in damp rooms. Besides commercial applications (cafés, hotels, restaurants), Pro-Cube is also very suitable for residential use.



FEATURES & PROPERTIES

- Waterproof (IP65) wall luminaire for indoor and outdoor use
- Indirect lighting, warm white, directed upwards and downwards
- Light beam up/down with slats adjustable from 30 to 120°
- Can be linked through to next luminaire via cable inlet/outlet
- Solid aluminium housing, finished in RAL 9005 matt black



GENERAL SPECIFICATIONS



Fixture type	Surface mounted
Application	Wall
Installation environment	Indoor, outdoor
Lighting function	Accent, designer lighting
Luminaire versions	Standard - on / off
Electrical safety class	Class I
AC-voltage & frequency	100-240 V AC 50-60 Hz
Type of driver	Constant current
Type of light source	LED (type SMD 2835)
Power consumption	10 W
Luminous flux	2 x 375 lm
Light color	3000 K
Color Rendering Index	Ra >80
Optical system	Lens, transparent
Beam angle	30 - 120° adjustable
Ingress Protection (IP)	IP65
Impact resistance (IK)	IK06
Median useful life	L90 >40,000 hours L80 >80,000 hours
Ambient temperature (Ta-range)	-20°C to +45°C
Material	Aluminium
Color / finish	Black / powder coating
Certification	CE
Warranty period	5 years

APPLICATIONS

Halls, corridors, stairwells, lift lobbies, galleries, portals, porches, balconies, facades, storerooms, toilets, bathrooms, etc.

MORE INFO ABOUT
PRO-CUBE ONLINE:







PRO-CUBE - WALL-MOUNT LUMINAIRE - UP/DOWN - IP65 - 120 x 100 x 97 mm - BLACK

VERSION	CCT	CRI	LIGHT OUTPUT	POWER	DRIVER	ART. NO.	STOCK
Standard	3000 K	Ra >80	2 x 375 lm	2 x 5 W	On / Off	40010400	☑

ADJUSTABLE BEAM ANGLE
30° - 120°



PROLUMIA®

PROLUMIA NL

Riga 10
2993 LW BARENDRECHT
T +31 (0)180 64 54 00
E info@prolumia.nl

PROLUMIA BE

Saffierstraat 5 - Unit 10A
2200 HERENTALS
T +32 (0)14 25 07 70
E info@prolumia.be

PROLUMIA CZ

Ke Slivenci 48
154 00 PRAHA 5 - LOCHKOV
T +420 222 563 003
E info@prolumia.cz

PROLUMIA DE

Feldbergstraße 57
61440 OBERURSEL
T +49 6171 8989 594
E info@prolumia.de

**MORE INFO ABOUT
PRO-CUBE ONLINE:**



Version: 1.0 - 2025-04

Nedelko B.V. pays the utmost attention to its catalog and reliability and actuality of the information contained therein. Despite all care, inaccuracies and omissions can not always be prevented. Nedelko B.V. is not liable for errors or inaccuracies. For the most current information please contact our sales department.