


ONETRACK RECESS 2M WHITE CARTON TUBE 9000-2/W-R
9200602



Features


- OneTrack Recessed - 3 circuit track + 2 circuit control L1/L2/L3/Neutral/ground 16A/440V + D+/D- 2x1A/50V FELV AC, DALI, DMX, 1-10V etc. compatible, circuits can be controlled individually, aluminum body, suitable for recessed mounting, 2000 x 30.7 x 37.8 mm (L x W x H), white (RAL 9010). Singular carton tube packaging.

Product Overview

Product name	ONETRACK RECESS 2M WHITE CARTON TUBE 9000-2/W-R
Technology	Accessory
Housing	Aluminium
Mount	Ceiling recessed mounting, Wall recessed
General application	Museums & Galleries, Office
ETIM Class	EC000101
Electrical protection	Class I
Housing colour	White
Product EAN number	4012289006020
Warranty	5 years

ONETRACK RECESS 2M WHITE CARTON TUBE 9000-2/W-R
9200602

Technical drawings



Data table

GENERAL DATA

Product name	ONETRACK RECESS 2M WHITE CARTON TUBE 9000-2/W-R
Technology	Accessory
Accessory type	Electrical
Type of accessory	Track
Housing	Aluminium
Mount	Ceiling recessed mounting, Wall recessed
General application	Museums & Galleries, Office
ETIM Class	EC000101
Warranty	5 years

ONETRACK RECESS 2M WHITE CARTON TUBE 9000-2/W-R 9200602

ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Electrical protection	Class I
Control gear required	No

PHYSICAL DATA

Housing colour	White
Nominal Product Length (mm)	2000
Nominal Product Width (mm)	52
Nominal Product Height (mm)	37.8
Weight (kg)	2.27

PACKAGING

Product EAN number	4012289006020
Packaging single length / height (cm)	206.0
Packaging single width (cm)	6.2
Packaging single depth (cm)	6.2
Units per outer package	1
Packaging outer length / height (cm)	206.0
Packaging outer width (cm)	5.4
Packaging outer depth (cm)	5.4

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No