



Features

- Lytespan H-Track - 3 circuit track + 2 circuit control L1/L2/L3/Neutral/ground 16A/440V + D+/D- 2x1A/50V FELV AC, DALI, DMX, 1-10V etc. compatible, circuits can be controlled individually, aluminum body, suitable for surface and suspended installation, 2000 x 31.4 x 83 mm (L x W x H), white (RAL 9010).


Product Overview

Product name	LYTESPAN H-TRACK DOUBLE 2M WHITE 9000-2/W-H		
Technology	Accessory		
Housing	Aluminium		
Mount	Suspended, Ceiling surface mounting		
General application	Hospitality, Museums & Galleries, Office		
ETIM Class	EC000101		
Electrical protection	Class I		
Housing colour	RAL9010		
Product EAN number	5025768702589		
Warranty	5 years		

Concord

LYTESPAN H-TRACK DOUBLE 2M WHITE 9000-2/W-H 2070258

Technical drawings



Data table

GENERAL DATA

Product name	LYTESPAN H-TRACK DOUBLE 2M WHITE 9000-2/W-H
Technology	Accessory
Accessory type	Electrical
Type of accessory	Track
Housing	Aluminium
Mount	Suspended, Ceiling surface mounting
General application	Hospitality, Museums & Galleries, Office
ETIM Class	EC000101
Warranty	5 years

LYTESPAN H-TRACK DOUBLE 2M WHITE 9000-2/W-H 2070258

ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220.0
Primary Supply/Product voltage - max (V)	240.0
Electrical protection	Class I
Control gear required	No

PHYSICAL DATA

Housing colour	RAL9010
Nominal Product Length (mm)	2000
Nominal Product Width (mm)	31.4
Nominal Product Height (mm)	83
Weight (kg)	3.2

PACKAGING

Product EAN number	5025768702589
Packaging single length / height (cm)	206.0
Packaging single width (cm)	6.2
Packaging single depth (cm)	6.2
DUN14 (inner)	05025768702589
Units per outer package	1
Packaging outer length / height (cm)	206.0
Packaging outer width (cm)	6.2
Packaging outer depth (cm)	6.2

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No