

Sylvania Granit Self Test EM KIT  
0039783




Features

- 3hrs Self test Maintained emergency KIT with LiFePO4 battery compatible with Granit highbays (0039730 - 0039741;0039749 - 0039760; 0038766 - 0038772; 0039766 - 0039772). Providing 800lm for 0-10V Granit and 1,200lm for DALI and SSA Granit. 0 to +50°C operating temperature range. Up to 7W consumption for charging the battery. The battery is LiFePO4 6.4V / 6.6Ah / 42.24Wh - charging current is up to 400mA.

Product Overview

Product name	Sylvania Granit Self Test EM KIT
Technology	Accessory
General application	Logistics & Industry
ETIM Class	EC000471
Fixture luminous flux (lm)	N/A
IP rating	IP65
Product EAN number	5410288397832
Warranty	5 years

Technical drawings





Sylvania Granit Self Test EM KIT  
0039783

Data table

GENERAL DATA

Product name	Sylvania Granit Self Test EM KIT
Technology	Accessory
General application	Logistics & Industry
Operating temperature range (°C)	0°C...+50°C
ETIM Class	EC000471
Warranty	5 years

OPTICAL DATA

Fixture luminous flux (lm)	N/A
Emergency duration (h)	3

ELECTRICAL DATA

Control gear required	No
-----------------------	----

PHYSICAL DATA

IP rating	IP65
Weight (kg)	1.097

PACKAGING

Product EAN number	5410288397832
Packaging single length / height (cm)	42.0
Packaging single width (cm)	15.5
Packaging single depth (cm)	11.0
DUN14 (inner)	15410288397839
Units per outer package	6
Packaging outer length / height (cm)	44.0
Packaging outer width (cm)	36.0
Packaging outer depth (cm)	34.0



Sylvania Granit Self Test EM KIT  
0039783

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No