



Features

- .




Product Overview

|                                   |                                     |
|-----------------------------------|-------------------------------------|
| Product name                      | ML FAST-START 840 E27 15W SLV       |
| Technology                        | Compact Fluorescent                 |
| Watt (Rated) (W)                  | 15                                  |
| Lamp shape                        | Other                               |
| Cap/Base                          | E27                                 |
| Lamp finish                       | Frosted/Coated                      |
| General application               | Hospitality, Residential & Consumer |
| ETIM Class                        | EC000819                            |
| E-number FI                       | 4940284                             |
| E-number SE                       | 8357545                             |
| Correlated colour temperature (k) | 4000                                |
| Light colour                      | Cool White                          |
| CRI (Ra)                          | 80                                  |
| Wattage (W)                       | 15                                  |
| Power consumption (W)             | 15                                  |
| Average life (Nominal) (h)        | 12000                               |
| Product EAN number                | 5410288351186                       |
| Dimming method                    | N/A                                 |

ML FAST-START 840 E27 15W SLV  
0035118

|             |     |
|-------------|-----|
| Colour Code | 840 |
|-------------|-----|

Technical drawings



Data table

GENERAL DATA

|                     |                                     |
|---------------------|-------------------------------------|
| Product name        | ML FAST-START 840 E27 15W SLV       |
| Technology          | Compact Fluorescent                 |
| Watt (Rated) (W)    | 15                                  |
| Lamp shape          | Other                               |
| Cap/Base            | E27                                 |
| Lamp finish         | Frosted/Coated                      |
| General application | Hospitality, Residential & Consumer |
| ETIM Class          | EC000819                            |
| E-number FI         | 4940284                             |
| E-number SE         | 8357545                             |

OPTICAL DATA

## ML FAST-START 840 E27 15W SLV 0035118

|                                              |            |
|----------------------------------------------|------------|
| Luminous flux (Rated) (lm)                   | 900        |
| Correlated colour temperature (k)            | 4000       |
| Light colour                                 | Cool White |
| Colour Code                                  | 840        |
| CRI (Ra)                                     | 80         |
| Adjustable chromaticity                      | N          |
| Lumen maintenance at end of nominal life (%) | 75         |

### ELECTRICAL DATA

|                                                   |        |
|---------------------------------------------------|--------|
| Power consumption (W)                             | 15     |
| Wattage (W)                                       | 15     |
| Equivalent watt (W)                               | 70     |
| Starting time (max) (s)                           | <1.0   |
| Warm-up time to 60% of full light (max) (s)       | < 40   |
| Current (A)                                       | 0.11   |
| Primary Supply/Product voltage - min (V)          | 220    |
| Primary Supply/Product voltage - max (V)          | 240    |
| Lamp power factor                                 | 0.55   |
| Control gear required                             | No     |
| No. Of switching cycles before premature failures | >50000 |
| Dimming method                                    | N/A    |
| kWh per 1000 hours burning time                   | 15     |

### LIFETIME DATA

|                            |       |
|----------------------------|-------|
| Average life (Nominal) (h) | 12000 |
| Average life (Rated) (h)   | 12000 |

### PHYSICAL DATA

|                             |       |
|-----------------------------|-------|
| Max. Lamp Diameter (mm) - D | 48    |
| Weight (kg)                 | 0.063 |



ML FAST-START 840 E27 15W SLV  
0035118

PACKAGING

|                                       |                |
|---------------------------------------|----------------|
| Product EAN number                    | 5410288351186  |
| Packaging single length / height (cm) | 4.8            |
| Packaging single width (cm)           | 4.8            |
| Packaging single depth (cm)           | 12.5           |
| DUN14 (inner)                         | 15410288351183 |
| Units per outer package               | 10             |
| Packaging outer length / height (cm)  | 25.3           |
| Packaging outer width (cm)            | 10.0           |
| Packaging outer depth (cm)            | 13.5           |

SAFETY DATA

|                                            |            |
|--------------------------------------------|------------|
| Lamp mercury content (mg)                  | 2.50       |
| Breakage cleaning instructions             | Applicable |
| Recommendation for disposal at end of life | Applicable |
| Special purpose lamp                       | No         |
| Dry applications use only                  | Yes        |
| Suitable for household illumination        | Yes        |