



Features

- .




Product Overview

Product name	ML FAST-START 827 E27 8W SLV
Technology	Compact Fluorescent
Watt (Rated) (W)	8
Lamp shape	Other
Cap/Base	E27
Lamp finish	Frosted/Coated
General application	Hospitality, Residential & Consumer
ETIM Class	EC000819
E-number FI	4940293
E-number SE	8357533
Correlated colour temperature (k)	2700
Light colour	Homelight
CRI (Ra)	80
Wattage (W)	8
Power consumption (W)	8
Average life (Nominal) (h)	12000
Product EAN number	5410288351360
Dimming method	N/A

ML FAST-START 827 E27 8W SLV
0035136

Colour Code	827
-------------	-----

Technical drawings



Data table

GENERAL DATA

Product name	ML FAST-START 827 E27 8W SLV
Technology	Compact Fluorescent
Watt (Rated) (W)	8
Lamp shape	Other
Cap/Base	E27
Lamp finish	Frosted/Coated
General application	Hospitality, Residential & Consumer
ETIM Class	EC000819
E-number FI	4940293
E-number SE	8357533

OPTICAL DATA

ML FAST-START 827 E27 8W SLV 0035136

Luminous flux (Rated) (lm)	450
Correlated colour temperature (k)	2700
Light colour	Homelight
Colour Code	827
CRI (Ra)	80
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	75

ELECTRICAL DATA

Power consumption (W)	8
Wattage (W)	8
Equivalent watt (W)	42
Starting time (max) (s)	<1.5
Warm-up time to 60% of full light (max) (s)	< 40
Current (A)	0.07
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Lamp power factor	0.55
Control gear required	No
No. Of switching cycles before premature failures	>50000
Dimming method	N/A
kWh per 1000 hours burning time	8

LIFETIME DATA

Average life (Nominal) (h)	12000
Average life (Rated) (h)	12000

PHYSICAL DATA

Max. Lamp Diameter (mm) - D	44
Weight (kg)	0.052



ML FAST-START 827 E27 8W SLV
0035136

PACKAGING

Product EAN number	5410288351360
Packaging single length / height (cm)	12.0
Packaging single width (cm)	4.5
Packaging single depth (cm)	4.5
DUN14 (inner)	15410288351367
Units per inner package	10
Packaging inner length / height (cm)	24.0
Packaging inner width (cm)	15.0
Packaging inner depth (cm)	10.4
DUN14 (outer)	25410288351364
Units per outer package	50
Packaging outer length / height (cm)	25.0
Packaging outer width (cm)	16.5
Packaging outer depth (cm)	54.5

SAFETY DATA

Lamp mercury content (mg)	2.50
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes