

## ONETRACK RECESS 1M WHITE CARTON TUBE 9000-1/W-R 9200601





#### **Features**

• OneTrack Recessed - 3 circuit track + 2 circuit control L1/L2/L3/Neutral/ground 16A/440V + D+/D- 2x1A/50V FELV AC, DALI, DMX, 1-10V etc. compatible, circuits can be controlled individually, aluminum body, suitable for recessed mounting, 1000 x 30.7 x 37.8 mm (L x W x H), white (RAL 9010). Singular carton tube packaging.


#### **Product Overview**


Product name	ONETRACK RECESS 1M WHITE CARTON TUBE 9000-1/W-R
Technology	Accessory
Housing	Aluminium
General application	Museums & Galleries, Office
ETIM Class	EC000101
Housing colour	White
Warranty	5 years



## ONETRACK RECESS 1M WHITE CARTON TUBE 9000-1/W-R 9200601

### **Technical drawings**





### **Data table**

GFI	NER	ΔΙ	$D\Delta$	
GEI	$\mathbf{N} = \mathbf{C}$	AL	$\boldsymbol{\nu}$	NIA

Product name	ONETRACK RECESS 1M WHITE CARTON TUBE
	9000-1/W-R
Technology	Accessory

Housing	Aluminium		
General application	Museums & Galleries, Office		
ETIM Class	FC000101		

ETIM Class	EC000101
Warranty	5 years

#### **ELECTRICAL DATA**

Control gear required N	1	(	C	)
-------------------------	---	---	---	---



# ONETRACK RECESS 1M WHITE CARTON TUBE 9000-1/W-R 9200601

#### **PHYSICAL DATA**

Housing colour	White
Nominal Product Length (mm)	1000
Nominal Product Width (mm)	52
Nominal Product Height (mm)	37.8
Weight (kg)	1.14

#### **PACKAGING**

Single packaging type	Mix(80% carton, 20% plastic)
Packaging single length / height (cm)	106.0
Packaging single width (cm)	6.2
Packaging single depth (cm)	6.2
Units per outer package	1
Packaging outer length / height (cm)	106.0
Packaging outer width (cm)	5.4
Packaging outer depth (cm)	5.4

#### **SAFETY DATA**

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No