

EBEC

LICENCE

No. 20753 replaces No.20405

Issued to:
Applicant:
NIKO N.V.
Industriepark-West 40
9100 SINT-NIKLAAS
Belgium

Licensee: NIKO N.V. Industriepark-West 40 9100 SINT-NIKLAAS Belgium



Product

: socket-outlets (2-pole)

Trade name(s)

: NIKO

Type(s)/model(s)

: See Appendix

The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.

SGS CEBEC hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard specified in annex
- an inspection of the production location
- a certification agreement with the number 14

SGS CEBEC hereby grants the right to use the CEBEC certification mark. The CEBEC certification mark may be applied to the product as specified in this licence for the duration of the CEBEC certification agreement and under the conditions of the CEBEC certification agreement.

This licence is issued on:

02/05/2018

ir. C. Lana,

Certification Manager

© Only integral publication of this certificate, including the annex, is allowed This certificate is only valid combined with the publication on the following web address: www.sgs.com/ee







This certificate is issued by the company under its General Conditions for Certification Services accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability defined therein and in the Test Report herein mentioned which findings are reflected in this Certificate. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



ANNEX TO CEBEC LICENCE No. 20753 Page 1 of 3

SPECIFICATION OF THE CERTIFIED PRODUCT

Product data

Product : socket-outlets (2-pole)

Trade name(s) : NIKO

Type(s)/Model(s) : See Appendix

serie(s) : Hydro

rated current (In) : 16 A

rated voltage (Un) : 250 Vac

earthing : with earthing pin

terminals : screw type & screwless type

standard sheet : V

box - type/model : see appendix

existence of shutters : with shutters

box - colour : see appendix

cover : with cover

degree of protection : IP55, IK07

method of installation : design A

method of application : surface and flush type

colour(s) : (see appendix)

certification mark : complies with the requirements

markings : are shown on the body

Additional information

See Appendix

TESTS

Test requirements

NBN C 61-112-1 based on IEC 60884-1:2002 + A1:2006 + A2:2013

SGS

ANNEX TO CEBEC LICENCE No. 20753 Page 2 of 3

Test results

The test results are laid down in test report ref. 629409.01_SMT 18-002.

Conclusion

The examination proved that all test requirements were met.

Checked by, project leader : Luigi Zanutto - 02/05/2018

Department Manager, Product Certification

Certification Manager

SGS

ANNEX TO CEBEC LICENCE No. 20753 Page 3 of 3

FACTORY LOCATION(S)

NIKO N.V. Industriepark-West 40 9100 SINT-NIKLAAS Belgium

Socket outlet:

-3.1+7**-366**	2P with pin earthing, screw-type terminals and with shutters
-3.3+7**-366**	2P with pin earthing, screwless-type terminals and with shutters

Boxes:

7**-83101 7**-83201 7**-84101 7**-84111 7**-84102 7**-84112 7**-84201	surface mounting box for 1 function with membranes vertical surface mounting box for 2 functions with membranes surface mounting box for 1 function with 1 M20 entry surface mounting box for 1 function with 2x1 M20 entry surface mounting box for 1 function with 1x2 M20 entries surface mounting box for 1 function with 1x2 M20 entries + 1 M20 entry
7**-84201 7**-84211 7**-84202 7**-84212	vertical surface mounting box for 2 functions with 1 M20 entry vertical surface mounting box for 2 functions with 2x1 M20 entry vertical surface mounting box for 2 functions with 1x2 M20 entries vertical surface mounting box for 2 functions with 1x2 M20 entries + 1 M20 entry
7**-84302 7**-84801 7**-84802 7**-84902 7**-73000 7**-74000 7**-75000	vertical surface mounting box for 3 functions with 1x2 M20 entries horizontal surface mounting box for 2 functions with 1 M20 entry horizontal surface mounting box for 2 functions with 1x2 M20 entries horizontal surface mounting box for 3 functions with 1x2 M20 entries flush mounting box for 1 function vertical flush mounting box for 2 functions horizontal flush mounting box for 2 functions

7** can refer to the following colours: - 700: grey - 701: white - 761: black