

CERTIFICATE

Issued to:
Applicant:
EATON; CEAG Notlichtsysteme GmbH
Senator-Schwartz-Ring 26
59494 Soest, Germany

Licensee:
EATON; CEAG Notlichtsysteme GmbH
Senator-Schwartz-Ring 26
59494 Soest, Germany

Product : Luminaire for emergency lighting with LED light source
Trade name(s) : EATON, EATON CEAG, EATON Crompton, EATON JSB or EATON MENVIER
Type(s)/model(s) : GuideLed 10011 CG-S, GuideLed 10012 CG-S, GuideLed 10013 CG-S,
GuideLed 10021 CG-S, GuideLed 10022 CG-S, GuideLed 10023 CG-S,
GuideLed 10024 CG-S, GuideLed 10025 CG-S, GuideLed 10026 CG-S,
GuideLed 11011 CG-S, GuideLed 11012 CG-S, GuideLed 11013 CG-S,
GuideLed 11021 CG-S, GuideLed 11022 CG-S, GuideLed 11023 CG-S,
GuideLed 11024 CG-S, GuideLed 11025 CG-S and GuideLed 11026 CG-S

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard EN 60598-1:2015, EN 60598-1:2015/A1:2018, EN 60598-2-22:2014 and EN 60598-2-22:2014/A1:2020
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 990758


DEKRA hereby grants the right to use the ENEC certification mark.

The ENEC certification mark may be applied to the product as specified in this certificate for the duration of the ENEC certification agreement and under the conditions of the ENEC certification agreement.

This certificate is issued on 2 September 2020 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 88-115398

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Nitschke
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE
DUTCH ACCREDITATION
COUNCIL



SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

Product	: Luminaire for emergency lighting with LED light source
Trade name(s)	: EATON, EATON CEAG, EATON Crompton, EATON JSB or EATON MENVIER
Type(s)/model(s)	: GuideLed 10011 CG-S, GuideLed 10012 CG-S, GuideLed 10013 CG-S, GuideLed 10021 CG-S, GuideLed 10022 CG-S, GuideLed 10023 CG-S, GuideLed 10024 CG-S, GuideLed 10025 CG-S, GuideLed 10026 CG-S, GuideLed 11011 CG-S, GuideLed 11012 CG-S, GuideLed 11013 CG-S, GuideLed 11021 CG-S, GuideLed 11022 CG-S, GuideLed 11023 CG-S, GuideLed 11024 CG-S, GuideLed 11025 CG-S and GuideLed 11026 CG-S
Rated voltage and frequency	: 220-240Vac; 50/60Hz; 176-275Vdc
Rated input power	: max 4,1W
Degree of protection	: IP40
Ambient temperature range (ta)	: -20 °C...+40 °C

Product data – type GuideLed 10011 CG-S

Class	: II
Description	: 20m wall surface mounted, single sided

Product data – type GuideLed 10012 CG-S

Class	: II
Description	: 20m wall recessed mounted (V-CG-SLS 28), single sided

Product data – type GuideLed 10013 CG-S

Class	: II
Description	: 20m wall recessed mounted (V-CG-SLR 28), single sided

Product data – type GuideLed 10021 CG-S

Class	: II
Description	: 20m ceiling surface mounted, double sided

Product data – type GuideLed 10022 CG-S

Class	: II
Description	: 20m ceiling surface mounting with pendulum suspension (tube 0,5m), double sided

Product data – type GuideLed 10023 CG-S

Class	: II
Description	: 20m ceiling surface mounting with pendulum suspension (tube 1,5m), double sided

Product data – type GuideLed 10024 CG-S

Class	: I
Description	: 20m ceiling recessed mounting, double sided

Product data – type GuideLed 10025 CG-S

Class : II
Description : 20m ceiling surface mounting with cable suspension, double sided

Product data – type GuideLed 10026 CG-S

Class : II
Description : 20m ceiling recessed mounting with cable suspension, double sided

Product data – type GuideLed 11011 CG-S

Class : II
Description : 30m wall surface mounted, single sided

Product data – type GuideLed 11012 CG-S

Class : II
Description : 30m wall recessed mounted (V-CG-SLS 28), single sided

Product data – type GuideLed 11013 CG-S

Class : II
Description : 30m wall recessed mounted (V-CG-SLR 28), single sided

Product data – type GuideLed 11021 CG-S

Class : II
Description : 30m ceiling surface mounted, double sided

Product data – type GuideLed 11022 CG-S

Class : II
Description : 30m ceiling surface mounting
with pendulum suspension (tube 0,5m), double sided

Product data – type GuideLed 11023 CG-S

Class : II
Description : 30m ceiling surface mounting
with pendulum suspension (tube 1,5m), double sided

Product data – type GuideLed 11024 CG-S

Class : I
Description : 30m ceiling recessed mounting, double sided

Product data – type GuideLed 11025 CG-S

Class : II
Description : 30m ceiling surface mounting with cable suspension, double sided

Product data – type GuideLed 11026 CG-S

Class : II
Description : 30m ceiling recessed mounting with cable suspension, double sided

TESTS

Test requirements

EN 60598-1:2015
EN 60598-1:2015/A1:2018
EN 60598-2-22:2014
EN 60598-2-22:2014/A1:2020

Test result

The test results are laid down in DEKRA test file 341959600.

Additional information

This certificate replaces certificate No. 2194894.01 which we hereby declare invalid.

The list of components is laid down at test report 3419596.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

EATON; CEAG Notlichtsysteme GmbH
Senator-Schwartz-Ring 26
59494 Soest, Germany

SC Cooper Industries Romania SRL
Zona Industrială Vest Str. III, Nr. 12
310510 Arad, Romania