

Product End of Life Instructions

Pro-Face Cable for HMI

Pro-Face USB Front Panel Adapter Cable



Pro-face
by Schneider Electric



Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide

⚠ WARNING

HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Cable (low current)	50	Cable
Other		Plastic and Others	16	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Pro-face by Schneider Electric
Product function	This cable is a remote USB type A port location for terminal. It enables the USB port to be located remotely on the rear of the HMI terminal on a panel or cabinet door. It has 1 meter cable length and 21mm fixing hole diameter.
Product reference	PFXZC5CBUBEX1
Additional similar product references	PFXZC0CBUS1
Total representative product mass	66 g
Representative product dimensions	220mm x 120mm x 55mm
Accessories	No
Date of information release	07-2025

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	20% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com
 ENVEOLI2507015_V1

Published by Schneider Electric
 © 2025 - Schneider Electric – All rights reserved

07-2025