

Metal base for wireless battery-powered Zigbee® switch, 60 x 71 mm, claw fixing


**552-72000**

CE

4 year  
warranty

Metal base for mounting a wireless battery-powered Zigbee® switch (552-7201X) in a flush-mounting box, 60 x 71 mm, with claw fixing. The base includes a safety protection cover.

This article is protected by at least one patent (or patent application). For more info on patents, see [www.niko.eu/innovation](http://www.niko.eu/innovation).



### Technical data

Metal base for wireless battery-powered Zigbee® switch, 60 x 71 mm, claw fixing.

- Type of control: push button
- Number of leds: 0
- Type of fastening:
  - simple mounting in a flush-mounting box with grip surfaces
  - with claws that rotate open using screws with a combination screwhead (Pz2 or slot 1 x 5.5 mm), for mounting in a flush-mounting box with grip surfaces
  - engagement depth of claws: 23.5 mm
  - claws turn back completely when loosened
- Centre-to-centre distance:
  - simple and quick assembly of one or more mechanisms by the indication (chalk line, laser, etc.) of the centre of the flush-mounting frame
  - vertical coupling centre-to-centre distance 60 mm by sliding several bases into each other, they lock themselves automatically
  - vertical coupling centre-to-centre distance 71 mm using pre-formed lips at the bottom, by folding the lips downwards over a length of 1 mm, the bases support each other and the centre-to-centre distance is guaranteed.
  - horizontal connection of multiple bases is quick and perfect thanks to the folded-up dovetails on the left and right sides
  - extra robustness due to the folded-up edges on the outside of the base and the continuation into the inside of the base
- Dimensions (HxWxD): 71 mm x 73 mm
- Marking: CE

## Dimensions

