


## Data Sheet | Item Number: 790-192

U-shaped busbar; Cu 10 mm x 3 mm; for 5 I/O; suitable for 750 Series I/O modules; silver-colored

<https://www.wago.com/790-192>



Color: ■ silver-colored

### Material data

Color	silver-colored
Fire load	0 MJ
Weight	37.8 g

### Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	25 (1) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454229788
Customs tariff number	74198090990

### Product Classification

UNSPSC	39121421
eCl@ss 10.0	27-14-11-46
eCl@ss 9.0	27-14-11-46
ETIM 9.0	EC001522
ETIM 10.0	EC001522
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

## Downloads

### Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 790-192	<a href="#">↓</a>

## Documentation

Bid Text			
790-192	19.02.2019	xml 2.60 KB	<a href="#">↓</a>
790-192	28.11.2018	doc 22.00 KB	<a href="#">↓</a>

## CAD/CAE-Data

CAD data	
2D/3D Models 790-192	<a href="#">↓</a>

CAE data	
EPLAN Data Portal 790-192	<a href="#">↓</a>
WSCAD Universe 790-192	<a href="#">↓</a>
ZUKEN Portal 790-192	<a href="#">↓</a>

## 1 Compatible Products


### 1.1 Optional Accessories

#### 1.1.1 Shield termination

##### 1.1.1.1 Shield clamping saddles

<p><b>Item No.: 790-108</b> Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm</p>	<p><b>Item No.: 790-208</b> Shield clamping saddle; 12.4 mm wide; 3 ... 8 mm</p>	<p><b>Item No.: 790-116</b> Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm</p>	<p><b>Item No.: 790-216</b> Shield clamping saddle; 21.8 mm wide; 6 ... 16 mm</p>
<p><b>Item No.: 790-124</b> Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm</p>	<p><b>Item No.: 790-220</b> Shield clamping saddle; 30 mm wide; 6 ... 20 mm</p>	<p><b>Item No.: 790-140</b> Shield clamping saddle; diameter of compatible conductor</p>	

## Installation Notes



U-shaped (10 x 3) mm copper busbar