


Data Sheet | Item Number: 790-190

U-shaped busbar; Cu 10 mm x 3 mm; for 5 I/O; suitable for 750 Series I/O modules; silver-colored

<https://www.wago.com/790-190>



Color: ■ silver-colored

Material data

Color	silver-colored
Fire load	0 MJ
Weight	50.5 g

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	25 (5) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454229764
Customs tariff number	74198090990

Product Classification

UNSPSC	39121410
eCl@ss 10.0	27-14-11-46
eCl@ss 9.0	27-14-11-46
ETIM 9.0	EC001522
ETIM 10.0	EC001522
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 790-190	↓

Documentation

Bid Text			
790-190	19.02.2019	xml 2.60 KB	↓
790-190	28.11.2018	doc 23.00 KB	↓

CAD/CAE-Data

CAD data	
2D/3D Models 790-190	↓

CAE data	
EPLAN Data Portal 790-190	↓
WSCAD Universe 790-190	↓
ZUKEN Portal 790-190	↓

1 Compatible Products


1.1 Optional Accessories

1.1.1 Shield termination

1.1.1.1 Shield clamping saddles

<p>Item No.: 790-108 Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm</p>	<p>Item No.: 790-208 Shield clamping saddle; 12.4 mm wide; 3 ... 8 mm</p>	<p>Item No.: 790-116 Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm</p>	<p>Item No.: 790-216 Shield clamping saddle; 21.8 mm wide; 6 ... 16 mm</p>
<p>Item No.: 790-124 Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm</p>	<p>Item No.: 790-220 Shield clamping saddle; 30 mm wide; 6 ... 20 mm</p>	<p>Item No.: 790-140 Shield clamping saddle; diameter of compatible conductor</p>	

Installation Notes



U-shaped (10 x 3) mm copper busbar