

Data Sheet | Item Number: 211-813

Nozzles; Length: 12 mm; For the use of 211-811; halogen-free; Cable outer diameter: 5.0 ...11.0 mm; transparent

<https://www.wago.com/211-813>



Color: ☐ transparent

Technical data	
Suitable	for wire diameter 5 ... 11 mm
Delivery form	Component
Properties	for one 211-811 marker
Printing device	Smart Printer (thermal transfer printer)

Physical data	
Length	12 mm

Mechanical data	
Mounting type	Sliding on conductor

Material data	
Color	transparent
Material	Polyurethane
Adhesive information	without adhesive
Halogen-free	Yes
Weight	0.5 g
Fire load	0 MJ



Environmental requirements	
Ambient temperature (storage)	+5 ... +40 °C
Ambient temperature (operation)	-40 ... +80 °C
Relative humidity	40 ... 80 %

Commercial data	
Product Group	2 (Terminal Block Accessories)
PU (SPU)	500 pcs
Packaging type	Box
Country of origin	IT
GTIN	4050821674993
Customs tariff number	39269097900

Product Classification	
UNSPSC	39121722
eCl@ss 10.0	27-40-04-01
eCl@ss 9.0	27-40-04-01
ETIM 9.0	EC001530
ETIM 10.0	EC001530
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 211-813

↓

1 Compatible Products
1.1 Required Accessories
1.1.1 Marking
1.1.1.1 Marker



Item No.: 211-811
Marker; for Smart Printer; for use in nozzles; Length: 12 mm; white


Installation Notes

Application



Slide the marker into the marking sleeve receptacle. Replacing the marker is also possible after the conductor has been terminated.

Application



Compress the sleeve and slide it onto the conductor to be marked.