



Features


- OneTrack accessory, fix-point for surface mounting, DALI compatible, 3 circuit track + 2 circuit control, 250V 10A 120V 1200W 1A -50Vac FELV. Polycarbonate body, copper alloy contacts. Max load: 50N. White.

Product Overview

Product name	ONETRACK SURFACE FIX-POINT WHITE 9000/ BPU-D-W
Technology	Accessory
General application	Museums & Galleries, Office
ETIM Class	EC000101
Housing colour	White
Warranty	5 years

ONETRACK SURFACE FIX-POINT WHITE 9000/BPU-D-W 9200751

Technical drawings



Data table

GENERAL DATA

Product name	ONETRACK SURFACE FIX-POINT WHITE 9000/ BPU-D-W
Technology	Accessory
General application	Museums & Galleries, Office
ETIM Class	EC000101
Warranty	5 years

ELECTRICAL DATA

Control gear required	No
-----------------------	----

ONETRACK SURFACE FIX-POINT WHITE 9000/BPU-D-W 9200751

PHYSICAL DATA

Housing colour	White
Nominal Product Height (mm)	37.6
Nominal Product Diameter (mm)	118
Weight (kg)	0.21

PACKAGING

Single packaging type	Mix(80% carton, 20% plastic)
Packaging single length / height (cm)	12.2
Packaging single width (cm)	12.2
Packaging single depth (cm)	4.5
Units per outer package	200
Packaging outer length / height (cm)	40.5
Packaging outer width (cm)	30.5
Packaging outer depth (cm)	22.5

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No