







Color: ☐ green/gray



This item includes:

 <div><div>Item No.: 206-2163</div><div>1</div><div>VDE Torx® screwdriver; T8; VDE tested; 1000 V; insulated; 2-component grip; size 1 (100 mm); green/gray</div></div>	 <div><div>Item No.: 206-2164</div><div>1</div><div>VDE Torx® screwdriver; T10; VDE tested; 1000 V; insulated; 2-component grip; size 1 (100 mm); green/gray</div></div>	 <div><div>Item No.: 206-2165</div><div>1</div><div>VDE Torx® screwdriver; T15; VDE tested; 1000 V; insulated; 2-component grip; size 2 (110 mm); green/gray</div></div>	 <div><div>Item No.: 206-2166</div><div>1</div><div>VDE Torx® screwdriver; T20; VDE tested; 1000 V; insulated; 2-component grip; size 2 (110 mm); green/gray</div></div>
 <div><div>Item No.: 206-2167</div><div>1</div><div>VDE Torx® screwdriver; T25; VDE tested; 1000 V; insulated; 2-component grip; size 2 (110 mm); green/gray</div></div>	 <div><div>Item No.: 206-2169</div><div>1</div><div>VDE Torx® screwdriver; T30; VDE tested; 1000 V; insulated; 2-component grip; size 3 (115 mm); green/gray</div></div>		



Notes	
Safety Information	Always use the appropriate VDE screwdriver variant for your screwdriver head to prevent injuries due to slipping or damage to the VDE screwdriver or screwdriver head. Always ensure that the VDE screwdriver is dry and free from oil and grease to prevent slipping or injury. If the shank is damaged, always replace the VDE screwdriver to prevent injury from slipping. To prevent the risk of electric shock, do not use the VDE screwdriver if the handle or insulation is damaged. Do not use the VDE screwdriver to open the contact spring for products with operating slots. Do not use the VDE screwdriver as a prying tool or chisel. Wear approved eye protection and wear the personal protective equipment required for your application. Environmental and storage information: Ensure that the VDE screwdrivers are not exposed to strong heat sources (e.g., heating pipes or steam lines) or UV radiation sources.
Safety information 2	<ol style="list-style-type: none">1. Work on live parts or parts under load may only be performed by appropriately trained specialists.2. Use only for proper use!3. Observe national regulations/standards/guidelines!4. Observe technical specifications for the products!5. Do not use soiled components!6. Use only suitable shanks and drivers!

Mechanical data	
Drive type	T8; T10; T15; T20; T25; T30
Continuous blade	No
Blade design	gerade
Anti-roll protection	Yes
Hanging loop	Yes
Handle marking	Yes
Head marking	Yes

Material data	
Color	green/gray
Material 1	Polypropylen (PP)
Material 2	Thermoplastische Elastomere (TPE)
Fire load	0 MJ
Blade material	61CrSiV5
Blade surface	brüniert
Weight	380 g

Commercial data	
PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4066966612592
Customs tariff number	8205400000

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption



Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 206-2102	