



Product Certificate K13366/07

Issued 2019-06-01

Replaces K13366/06

Page 1 of 3

Shower hoses for sanitary tapware

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Hansgrohe SE

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline

BRL-K668: "Shower hoses for sanitary tapware", dated 01-02-2012.

which covers the requirements of

EN 1113: 2011 "Shower hoses for sanitary tapware for water supply systems of type 1 and type 2 – General technical specification".

Ronald Karel
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

288171015

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
P.O. Box 70
2280 AB RIJSWIJK
Tel. 088 998 44 00
Fax 088 998 44 20
info@kiwa.nl
www.kiwa.nl

Producer

Hansgrohe SE
Austraße 59
D-77761 Schiltach
Germany
Tel. +49 78 36 51 0
Fax +49 78 36 51 300
E-mail info@hansgrohe.com
www.hansgrohe.com

Certificatieproces
bestaat uit initiële en
periodieke beoordeling
van:

- kwaliteitssysteem
- product

Shower hoses for sanitary tapware

PRODUCT SPECIFICATION

The products mentioned below belong to this certificate;

Type	Article number	Length
SAN- AS	30 61 4910	2.00 m
Isiflex-B	28 278 xxx	0.80 m
	28 272 xxx	1.25 m
	28 282 xxx	1.25 m
	28 622 xxx	1.25 m
	28 277 xxx	1.50 m
	28 712 xx2	1.50 m
	28 276 xxx	1.60 m
	28 286 xxx	1.60 m
	28 626 xxx	1.60 m
	28 275 xxx	1.75 m
	28 713 xx2	1.75 m
	28 274 xxx	2.00 m
	28 714 xx2	2.00 m
	28 284 xxx	2.00 m
	28 624 xxx	2.00 m
Metaflex-C	28 152 xxx	1.25 m
	28 644 xxx	1.25 m
	28 161 xxx	1.25 m
	28 262 xxx	1.25 m
	28 153 xxx	1.50 m
	28 645 452	1.50 m
	28 263 xxx	1.50 m
	28 645 002	1.50 m
	28 264 xxx	1.50 m
	28 266 xxx	1.60 m
	28 166 xxx	1.60 m
	28 155 xxx	1.75 m
	28 265 xxx	1.75 m
	28 646 xxx	1.75 m
	28 154 xxx	2.00 m
	28 647 002	2.00 m
	28 647 452	2.00 m
	28 164 xxx	2.00 m
	28 264 xxx	2.00 m
Axor	28 112 xxx	1.25 m
	28 116 xxx	1.60 m
	28 120 xxx	2.00 m
Comfortflex	28 167 xxx	1.25 m
	28 168 xxx	1.60 m
	28 162 xxx	1.75 m
	28 169 xxx	2.00 m

Shower hoses for sanitary tapware

Sensoflex	28 132 xxx	1.25 m
	30 400 718	1.25 m
	28 734 xx2	1.50 m
	28 175 xx2	1.50 m
	28 734 xx2	1.50 m
	30 401 918	1.50 m
	28 136 xxx	1.60 m
	30 400 818	1.60 m
	28 735 xx2	1.75 m
	30 402 018	1.75 m
	28 736 xx2	2.00 m
	30.400.918	2.00 m
	28 134 xxx	2.00 m

REMARK

The specified products were not yet assessed for compliance with all aspects as inserted in the Dutch Drinking Water Decree and outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Regulation materials and chemicals drinking water and warm tap water supply"), implemented 19 July 2011. As specified in the mentioned regulations, a transition period applies. As soon as the final policy has been defined the products shall be tested in accordance with Clause 4.3.1 of Kiwa evaluation guideline BRL-K668/03.

APPLICATION AND USE

Shower hoses for sanitary taps according to EN 1113 are intended for application in drinking water installations with a dynamic pressure of 50 kPa to 500 kPa and a maximum water temperature of 70°C. The recommended limits for correct operation are a dynamic pressure of 100 kPa to 300 kPa and a maximum water temperature of 42°C.

MARKING

The Kiwa®-mark products are marked with the word mark "KIWA".
Place of the mark: on the shower hose.

Compulsory specifications:

- name or mark of the manufacturer.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Hansgrohe SE
and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.