

ONETRACK FAST T-BAR BRACKET WHITE S-9000/119-TB-W  
9200770



Features


- OneTrack accessory, bracket for fixing the track to the T-bar, in painted steel. Recommended distance between clamps: 750 mm. Fmax clamp: 50N. Please verify the Fmax of the T-bar declared by manufacturer. White.

Product Overview

Product name	ONETRACK FAST T-BAR BRACKET WHITE S-9000/119-TB-W
Technology	Accessory
General application	Museums & Galleries, Office
ETIM Class	EC000101
Housing colour	White
Warranty	5 years

ONETRACK FAST T-BAR BRACKET WHITE S-9000/119-TB-W  
9200770

Technical drawings



Data table

GENERAL DATA

Product name	ONETRACK FAST T-BAR BRACKET WHITE S-9000/119-TB-W
Technology	Accessory
General application	Museums & Galleries, Office
ETIM Class	EC000101
Warranty	5 years

ELECTRICAL DATA

Control gear required	No
-----------------------	----



ONETRACK FAST T-BAR BRACKET WHITE S-9000/119-TB-W  
9200770

PHYSICAL DATA

Housing colour	White
Nominal Product Length (mm)	48.8
Nominal Product Width (mm)	33.4
Nominal Product Height (mm)	16.6
Weight (kg)	0.016

PACKAGING

Single packaging type	Plastic
Packaging single length / height (cm)	8.0
Packaging single width (cm)	4.2
Packaging single depth (cm)	5.4
Units per outer package	1
Packaging outer length / height (cm)	8.0
Packaging outer width (cm)	4.2
Packaging outer depth (cm)	5.4

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No