Data Sheet | Item Number: 221-2504


Mounting carrier with strain relief; 4-way; for inline splicing connector with lever; for

screw mounting; gray

https://www.wago.com/221-2504







Color: ■ gray

Physical data		
Width	38.8 mm / 1.528 inches	
Height from the surface	6.5 mm / 0.256 inches	
Depth	100 mm / 3.937 inches	

Material data	
Note (material data)	Information on material specifications can be found here
Color	gray
Fire load	0.245 MJ
Weight	8.1 g

Commercial data	
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	25 (5) pcs
Packaging type	Box
Country of origin	CN
GTIN	4066966119855
Customs tariff number	39269097900


Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption


Data Sheet | Item Number: 221-2504

https://www.wago.com/221-2504



Downloads Environmental Product Compliance Compliance Search Environmental Product Compliance 221-2504





1.1.2 Marking

1.1.2.1 Marking strip

Item No.: 210-834

Marking strips; on reel; 5 mm wide; plain; Self-adhesive; white

Installation Notes

Installation



Place the inline splicing connector on the carrier in front of the mounting position.



Push the connector to the center position until it snaps into place.



Mounting carrier without strain relief – snapped onto DIN-rail

Data Sheet | Item Number: 221-2504

https://www.wago.com/221-2504





Various combinations of 1- to 5-connector mounting carriers are possible via side-by-side latching mechanism.

Strain relief



3-pole mounting carrier with strain relief

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$