Lumiance

INSET TR SW IP44 OUTDOOR WH EX-LMP 3084030











• 75mm cut out. 2 x 25° Tilt. Round bezel.




Product Overview

Product name	INSET TR SW IP44 OUTDOOR WH EX-LMP
Technology	LED/Halogen
Cap/Base	GU10
Housing	Aluminium
Mount	Ceiling recessed mounting
Light source included	Fixture without Lightsource
Environment	Indoor
E-number FI	4271330
E-number SE	7463870
LOR (%)	Dependent on lamp
Electrical protection	Class II
Housing colour	White
IP rating	IP44/20
IK rating	IK02
Product EAN number	8711971840305
Warranty	3 years

Lumiance

INSET TR SW IP44 OUTDOOR WH EX-LMP 3084030

Technical drawings



Data table

GENERAL DATA

Product name	INSET TR SW IP44 OUTDOOR WH EX-LMP
Technology	LED/Halogen
Cap/Base	GU10
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Indoor
E-number FI	4271330
E-number SE	7463870
Warranty	3 years

OPTICAL DATA

LOR (%)	Dependent on lamp
Adjustable chromaticity	N

ELECTRICAL DATA

Lumiance

INSET TR SW IP44 OUTDOOR WH EX-LMP

3084030

Light source included	Fixture without Lightsource
Primary Supply/Product voltage - min (V)	220
Electrical protection	Class II
Control gear required	No
Nominal Frequency (Hz)	50/60Hz

PHYSICAL DATA

Housing colour	White
IP rating	IP44/20
IK rating	IK02
Nominal Product Length (mm)	95
Nominal Product Width (mm)	95
Weight (kg)	0.175
Recessed Depth (mm)	100

PACKAGING

Single packaging type	Carton
Product EAN number	8711971840305
Packaging single width (cm)	10.07
Packaging single depth (cm)	8.4
DUN14 (outer)	18711971840302
Packaging outer length / height (cm)	28.7

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No