


## Data Sheet | Item Number: 734-326

Strain relief plate; for female and male connectors; 35 mm wide; 1 part; gray

<https://www.wago.com/734-326>



Color: ■ gray



Dimensions in mm

The arrangement of the attachments for cable ties allows single conductors or multi-core cables to be secured in different ways. The width of the cable ties must correspond to the hole dimensions of the strain relief plates shown above.

### Physical data

Width	35 mm / 1.378 inches
Height	1.87 mm / 0.074 inches
Depth	32 mm / 1.26 inches

### Mechanical data

Suitable	for standard male and female connectors (2.5 mm; 3.5 mm; 5 mm; 7.5 mm pin spacing)
----------	--

### Material data

Note (material data)	<a href="https://www.wago.com/us/material-specifications">Information on material specifications can be found here</a>
Color	gray
Fire load	0.169 MJ
Weight	1.1 g

### Commercial data

Product Group	3 (Multi Conn. System)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332650311
Customs tariff number	85389099990

**Environmental Product Compliance**

RoHS Compliance Status Compliant, No Exemption

**Approvals / Certificates**

**Approvals for marine applications**



Approval	Standard	Certificate Name
LR Lloyds Register	IEC 61984	96/20035 (E5)

**Downloads**

**Environmental Product Compliance**

**Compliance Search**

Environmental Product Compliance 734-326	<a href="#">↓</a>
--	-------------------

**Documentation**

**Additional Information**

Technical Section	03.04.2019	pdf 2010.85 KB	<a href="#">↓</a>
-------------------	------------	-------------------	-------------------

**Bid Text**

734-326	19.02.2019	xml 2.49 KB	<a href="#">↓</a>
734-326	27.04.2017	doc 23.50 KB	<a href="#">↓</a>

**CAD/CAE-Data**

**CAD data**


2D/3D Models 734-326	<a href="#">↓</a>
----------------------	-------------------

**CAE data**

ZUKEN Portal 734-326	<a href="#">↓</a>
----------------------	-------------------

**Installation Notes**

**Installation**




Strain relief plates for factory or in-the-field assembly

## Application



Strain relief plate, for factory assembly  
1-conductor female connector, 2.5 mm pin  
spacing, light gray,  
12-pole, with strain relief plate  
733-112/034-000

## Application



Strain relief plate, for factory assembly  
1-conductor female connector, 2.5 mm pin  
spacing, light gray,  
2-pole, with strain relief plate  
(733-102/032-000)