

STELLO COMFORT LED FIX WW + DB 3079361



Features

- Fixed accent LED downlight, with deepened LED position for low glare and comfortable light. Wide range of tool less replaceable reflectors, complete with leading / trailing edge driver and Loop in Loop out connector, black aluminium heatsink and white front bezel, with sandblasted aluminium reflector, 884LM, 13W, 68lm/W, 3000K Driver current: 250mA, CRI80, 40° beam angle, leading / trailing edge dimmable, IP44, IK02, 35,000 hrs (L70), (WxD) 90x100mm,

Product Overview

Product name	STELLO COMFORT LED FIX WW + DB
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Indoor
General application	Hospitality, Residential & Consumer
ETIM Class	EC001744
E-number FI	4271085
E-number SE	7475355
Fixture luminous flux (lm)	884
Luminaire efficacy (lm/W)	68
LOR (%)	100
Correlated colour temperature (k)	3000
Light colour	Warm White
CRI (Ra)	80
Beam Angle (°)	40
Total power consumption (W)	13
Electrical protection	Class II
Control gear type	Electronic ballast
Housing colour	White
IP rating	IP44/20

STELLO COMFORT LED FIX WW + DB 3079361

Data table

GENERAL DATA

Product name	STELLO COMFORT LED FIX WW + DB
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Indoor
General application	Hospitality, Residential & Consumer
ETIM Class	EC001744
E-number FI	4271085
E-number SE	7475355
Warranty	3 years

OPTICAL DATA

Fixture luminous flux (lm)	884
Luminaire efficacy (lm/W)	68
LOR (%)	100
Correlated colour temperature (k)	3000
Light colour	Warm White
CRI (Ra)	80
Adjustable chromaticity	N
Beam Angle (°)	40

ELECTRICAL DATA

Total power consumption (W)	13
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Electrical protection	Class II
Control gear required	No
Control gear type	Electronic ballast
Dimming method	Mains: leading / trailing edge
Drive current (mA)	250

STELLO COMFORT LED FIX WW + DB 3079361

Energy Efficiency Class (A->G) of contained light source	F
--	---

LIFETIME DATA

Lifespan L70 B50	100000
------------------	--------

PHYSICAL DATA

Housing colour	White
IP rating	IP44/20
IK rating	IK02
Diffuser finish	Transparent
Diffuser material	Glass
Reflector finish	Matt
Nominal Product Height (mm)	110
Nominal Product Diameter (mm)	90
Weight (kg)	0.509
Recessed Depth (mm)	110

PACKAGING

Product EAN number	8711971793618
Packaging single length / height (cm)	12.8
Packaging single width (cm)	15.7
Packaging single depth (cm)	10.0
DUN14 (inner)	18711971793615
Units per outer package	12
Packaging outer length / height (cm)	49.1
Packaging outer width (cm)	28.1
Packaging outer depth (cm)	22.6

SAFETY DATA

Glow Wire Test (°C)	650
Special purpose lamp	No
Dry applications use only	No

SYLVANIA

STELLO COMFORT LED FIX WW + DB
3079361

Suitable for household illumination

No

Light your world