

Concord

MYRIAD HOUSING 2700K DALI 2057922



Features

- MYRIAD HOUSING 2700K DALI



Product Overview

Product name	MYRIAD HOUSING 2700K DALI
Technology	LED
Cap/Base	N/A
Environment	Interior
General application	Hospitality, Office, Retail
ETIM Class	EC001744
Fixture luminous flux (lm)	791
Luminaire efficacy (lm/W)	79
LOR (%)	100
Correlated colour temperature (k)	2700
Light colour	Candlelight
CRI (Ra)	85
Colour Variation Initial (SDCM)	3
Beam Angle (°)	30
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
IP rating	IP44/20
IK rating	IK02
Product EAN number	5025768579228
Warranty	5 years


Concord

MYRIAD HOUSING 2700K DALI 2057922


Dimming method

DALI

Photometry



Technical drawings



Dimensions (mm)

Data table

GENERAL DATA

Concord

MYRIAD HOUSING 2700K DALI 2057922

Product name	MYRIAD HOUSING 2700K DALI
Technology	LED
Cap/Base	N/A
Environment	Interior
General application	Hospitality, Office, Retail
ETIM Class	EC001744
Warranty	5 years

OPTICAL DATA

Fixture luminous flux (lm)	791
Luminaire efficacy (lm/W)	79
LOR (%)	100
Correlated colour temperature (k)	2700
Light colour	Candlelight
CRI (Ra)	85
Colour Variation Initial (SDCM)	3
Adjustable chromaticity	N
Beam Angle (°)	30
Photobiological Risk Group	RG1

ELECTRICAL DATA

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	230
Primary Supply/Product voltage - max (V)	240
Electrical protection	Class II
Control gear required	No
Dimming method	DALI
Drive current (mA)	350
Energy Efficiency Class (A->G) of contained light source	E

LIFETIME DATA

Lifespan L70 B50	100000
Lifespan L80 B20	100000

Concord

MYRIAD HOUSING 2700K DALI 2057922

Lifespan L90 B10	68500
------------------	-------

PHYSICAL DATA

IP rating	IP44/20
IK rating	IK02
Weight (kg)	0.37
Recessed Depth (mm)	72

PACKAGING

Product EAN number	5025768579228
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (inner)	05025768579228
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No