

Hand shower set with integrated shower holder FlowReduce - Brushed Gold (PVD)

SERIES SPECIFIC

27 813 660



- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:

- rosette Ø 60 mm
- 1/2" connection

Notes:

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Gold (PVD)	27 813 660-37 0010
	Chrome	27 813 660-00 0010
	Brushed Platinum	27 813 660-06 0010
	Platinum	27 813 660-08 0010
	Dark Chrome	27 813 660-19 0010
	Light Gold (PVD)	27 813 660-26 0010
	Brushed Light Gold (PVD)	27 813 660-27 0010
	Brushed Durabronze (23kt Gold)	27 813 660-28 0010
	Matte Black	27 813 660-33 0010
	Brushed Dark Brass (PVD)	27 813 660-39 0010
	Brushed Bronze (PVD)	27 813 660-42 0010
	Brushed Dark Bronze (PVD)	27 813 660-43 0010
	Brushed Champagne (22kt Gold)	27 813 660-46 0010
	Champagne (22kt Gold)	27 813 660-47 0010
	Brushed Chrome	27 813 660-93 0010
	Brushed Dark Platinum	27 813 660-99 0010

Recommended miscellaneous




Concealed wall elbow -

35 085 970 90

- min. recess depth 90 mm
- max. recess depth 163 mm

27 813 660

mm [inches]



27 813 660

