


Concord

MYRIAD SQUARE IP65 FLOOD 4K DALI BLKREF WBEZ 2056414



Features

- MYRIAD SQUARE IP65 FLOOD 4000K DALI BLACK REFLECTOR WHITE BEZEL

Product Overview


Product name	MYRIAD SQUARE IP65 FLOOD 4K DALI BLKREF WBEZ
Technology	LED
Cap/Base	N/A
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Residential & Consumer, Retail
ETIM Class	EC001744
Fixture luminous flux (lm)	1142
Luminaire efficacy (lm/W)	114
LOR (%)	100
Correlated colour temperature (k)	4000
Light colour	Neutral White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Beam Angle (°)	48
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
Housing colour	Aluminium
IP rating	IP65/20

Concord


MYRIAD SQUARE IP65 FLOOD 4K DALI BLKREF WBEZ 2056414

IK rating	IK02
Product EAN number	5025768564149
Warranty	5 years
Dimming method	DALI

Photometry



Technical drawings



Data table

GENERAL DATA

Product name	MYRIAD SQUARE IP65 FLOOD 4K DALI BLKREF WBEZ
Technology	LED
Cap/Base	N/A
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Residential & Consumer, Retail
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001744
Warranty	5 years

OPTICAL DATA

Fixture luminous flux (lm)	1142
Luminaire efficacy (lm/W)	114
LOR (%)	100
Correlated colour temperature (k)	4000
Light colour	Neutral White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Adjustable chromaticity	N
Beam Angle (°)	48
Photobiological Risk Group	RG1

ELECTRICAL DATA

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	230
Primary Supply/Product voltage - max (V)	240
Electrical protection	Class II

Concord

MYRIAD SQUARE IP65 FLOOD 4K DALI BLKREF WBEZ 2056414

Control gear required	No
Dimming method	DALI
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

LIFETIME DATA

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

PHYSICAL DATA

Housing colour	Aluminium
IP rating	IP65/20
IK rating	IK02
Reflector finish	Not Applicable
Nominal Product Width (mm)	72
Nominal Product Height (mm)	64
Weight (kg)	0.39
Recessed Depth (mm)	64

PACKAGING

Product EAN number	5025768564149
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (inner)	05025768564149
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

SAFETY DATA

Concord

MYRIAD SQUARE IP65 FLOOD 4K DALI BLKREF WBEZ
2056414

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No