

Product data sheet

Item No. 91.030.5853.0

Intermediate coupling GST15I3Z 1P1U W WS

Intermediate coupling, U-piece, GST15i3, 3 pole, 1 input, 1 output, 250V/16A, for direct routing, color of coding: white



Item No.	91.030.5853.0
EAN	4015573849631
Order Unit	100 Piece(s)

Certificates / Approvals



Technical data

General

Rated current	16 A
Rated voltage	250 V
Rated impulse voltage	4 kV
Pollution degree	2
Mechanical coding	Code 1
Interlockable	Yes
Color of coding/ contact carrier	White
Marking of poles	

Model

Number of poles	3
Number of inputs	1
Number of outputs	1
Type of fastening	No
Degree of protection (IP)	IP40
Type of distributor	U-Connector

Material

Housing material	Polyamide
Halogen free	Yes
Contact material	CuZn
Insulation components continuous temperature	100 °C
Surface finish	Silver-plated

Dimensions

Length	33.1 mm
Width	21.6 mm
Height	22.6 mm

Technical drawing

1	2	3	A
<p style="font-size: small;">These dimensions will be especially checked at delivery Only inspection dimensions With /± marked dimensions are only valid for internal use</p>			1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20
<p style="font-size: small;">Diese Maße werden bei Abnahme besonders geprüft Ausschließlich Prüfmaße Mit /± gekennzeichnete Maße sind nur für interne Zwecke gültig</p>			M1 M2 M3 L G i 11.1 12.1 1.1
<p style="font-size: small;">Freitoleranz nach General tolerance</p>			E
<p style="font-size: x-small;">Tolerierung nach DIN 7167/Tolerance system acc. to DIN 7167. (This DIN-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances).</p>		<p style="font-size: x-small;">ja/yes <input checked="" type="checkbox"/> Stoffverbots- und Deklarationsliste nach UU-TOM-05/03 ist einzuhalten. Conformity with Wieland document UU-TOM-05/03 (list of prohibited / declarable hazardous substances) to be declared!</p>	
<p style="font-size: x-small;">CAD - Zeichnung, keine manuellen Änderungen CAD - drawing, no manual modifications allowed</p>		<p style="font-size: x-small;">1. Verwendung: - First Use:</p>	<p style="font-size: x-small;">Blatt: 1 von 1 Sheet: 1 of 1</p>
<p style="font-size: x-small;">Werkstoff/Material</p>		<p style="font-size: x-small;">2008 Tag/Date Name</p>	<p style="font-size: x-small;">Zeichnung Nr./Drawing No. Index</p>
<p style="font-size: x-small;">Maßstab/Scale 2:1</p>		<p style="font-size: x-small;">gezeichnet geprüft Normgepr. Stand. check</p>	<p style="font-size: x-small;">T 91.030.5853.0 01K</p>
<p style="font-size: x-small;">Vol. mm³ Ofl./Surf. mm²</p>		<p style="font-size: x-small;">Ersatz für/Replacement for: -</p>	
		<p style="font-size: x-small;">Type GST 15I3Z 1P1U W</p>	<p style="font-size: x-small;">Benennung/Title ZWISCHENKUPPLUNG für GST15I3 intermediate coupling</p>
<p style="font-size: x-small;">Index Datum / Blatt Date / Sheet</p>		<p style="font-size: x-small;">Änderung/Revision</p>	
1	2	3	910305853001K_4 CADW1042 Schmitt 2008-02-25T13:41:40 1.000

