


# MYRIAD DECO IP65 FLOOD 4000K PHDM WHITE WBEZ

Item No: 2058876


Concord



MYRD IP FL 4K PHDM WHT WBEZ

## Technical Assets

### Dimensions (mm)




Dimensions (mm)

### Photometrics

Distance [m]	Cone diameter [m]	E(0°) [lx]	E(C0) [lx]	E(C90) [lx]
0.5	0.32	338	17.8°	364
1.0	0.63	206	17.8°	910
1.5	0.95	92	17.8°	406
2.0	1.27	54	17.8°	288
2.5	1.59	35	17.8°	186
3.0	1.90	23	17.8°	131

Distance [m]      Cone diameter [m]      Illuminance [lx]  
 — C0 - C180 (Half beam angle: 35.2°)



# MYRIAD DECO IP65 FLOOD 4000K PHDM WHITE WBEZ

Item No: 2058876

## Concord

### General data

Product name	MYRIAD DECO IP65 FLOOD 4000K PHDM WHITE WBEZ
Technology	LED
Cap/Base	N/A
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Residential & Consumer, Retail
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001744
Warranty	5 years

### Optical data

Useful luminous flux ( $\Phi_{use}$ )	977
Fixture luminous flux (lm)	977
Luminaire efficacy (lm/W)	98
LOR (%)	100
Correlated colour temperature (k)	4000
Light colour	Neutral White
CRI (Ra)	90
Colour Variation Initial (SDCM)	SDCM3
Adjustable chromaticity	N
Beam Angle (°)	46
Photobiological Risk Group	RG1

### Electrical data

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	230
Primary Supply/Product voltage - max (V)	240
Electrical protection	Class II
Control gear type	Electronic ballast
Dimming method	Other
Minimum dimming level (%)	10
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

### Lifetime data

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

### Physical data

Housing colour	White
IP rating	IP65/20
IK rating	IK02
Diffuser finish	Bezel (or Ring)
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	0.44
Recessed Depth (mm)	72

# MYRIAD DECO IP65 FLOOD 4000K PHDM WHITE WBEZ

Item No: 2058876

Concord

## Packaging

Product EAN number	5025768588763
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (inner)	05025768588763
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5