

Hi-Spot ES50/ES50D Superia
ES50 SU 230V 50W 50° GU10 SV1
0022906



Product features

-



PRODUCT OVERVIEW

Product name	ES50 SU 230V 50W 50° GU10 SV1
Technology	Halogen
Watt (Rated) (W)	50
Type	Hi-Spot ES50/ES50D Superia
Cap/Base	GU10
Fixture rating	Open
General application	Hospitality, Museums & Galleries, Retail, Residential & Consumer
ETIM Class	EC000266
Luminous flux (lm)	300
Colour temperature (K)	2650
Light colour	Homelight
CRI (Ra)	100
Beam Angle (°)	50
Wattage (W)	50
Dimming method	Mains: leading / trailing edge
Average life (Nominal) (h)	3000
Product EAN number	5410288229065

DATA TABLE

General data	
Product name	ES50 SU 230V 50W 50° GU10 SV1
Technology	Halogen
Watt (Rated) (W)	50
Type	Hi-Spot ES50/ES50D Superia
Cap/Base	GU10
Fixture rating	Open
General application	Hospitality, Museums & Galleries, Retail, Residential & Consumer
ETIM Class	EC000266
Optical data	
Luminous flux (lm)	300
Colour temperature (K)	2650

Hi-Spot ES50/ES50D Superia

ES50 SU 230V 50W 50° GU10 SV1
0022906

Light colour	Homelight
CRI (Ra)	100
Adjustable chromaticity	N
Luminous Intensity (cd)	475
Beam Angle (°)	50
Lumen maintenance at end of nominal life (%)	80

Electrical data

Wattage (W)	50
Warm-up time to 60% of full light (max) (s)	Instant Full Light
Lamp power factor	1
Control gear required	No
No. Of switching cycles before premature failures	>12000
Dimming method	Mains: leading / trailing edge
kWh per 1000 hours burning time	50

Lifetime data

Average life (Nominal) (h)	3000
Average life (Rated) (h)	3000

Physical data

Max. Lamp Diameter (mm) - D	50
Weight (kg)	0.041

Packaging

Single packaging type	Carton
Product EAN number	5410288229065
Packaging single length / height (cm)	6.0
Packaging single width (cm)	4.7
Packaging single depth (cm)	4.7
DUN14 (inner)	15410288229062
Units per inner package	10
Packaging inner length / height (cm)	6.0
Packaging inner width (cm)	9.6
Packaging inner depth (cm)	24.3
Units per outer package	100
Packaging outer length / height (cm)	50.4
Packaging outer width (cm)	26.8
Packaging outer depth (cm)	14.4

Safety data

Breakage cleaning instructions	Not applicable
Recommendation for disposal at end of life	Not applicable
Special purpose lamp	No
Suitable for household illumination	Yes
Suitable for accent lighting	Yes

Hi-Spot ES50/ES50D Superia

ES50 SU 230V 50W 50° GU10 SV1
0022906

TECHNICAL DRAWINGS

