



Harmony XB5, Kop voor digitale display, Ø22mm, Rood

ZA2VA04

EAN Code: 3389110648942

Prijs: 76,95 EUR

Hoofd

range of product	Harmony
product or component type	Kop digitale display
bevestigingsdiameter	22 mm
kap/operator of lenskleur	Rood
Us nominale voedingsspanning	24 V DC

Complementair

type display	7-segmenten-LED + decimaal punt
voedingsspanningsgrenzen	13...30 V
net weight	0,02 kg

Omgeving

product certifications	UL CSA
ambient air temperature for operation	-25...70 °C
ambient air temperature for storage	-40...85 °C
trilling bestendigheid	10 gn (f= 10...500 Hz) conforming to IEC 60068-2-6
schokbestendigheid	180 gn conform aan IEC 60068-2-27
beschermingsklasse tegen elektrische schokken	Klasse II conforming to NF C 20-030
IP beschermingsgraad	IP65 conforming to IEC 60529 IP65 conforming to NF C 20-010

Verpakkingseenheid

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3,200 cm
Package 1 Width	4,200 cm
Package 1 Length	4,200 cm
Package 1 Weight	20,000 g
Unit Type of Package 2	S01
Number of Units in Package 2	60
Package 2 Height	15,000 cm

De weergegeven prijs is de adviesprijs in euro excl. BTW. Deze kan onderhevig zijn aan korting. Neem contact op met uw lokale distributeur of detailhandel voor de daadwerkelijke prijs

Disclaimer: Deze documentatie is niet bedoeld als vervanging voor en mag niet worden gebruikt voor het bepalen van de geschiktheid of betrouwbaarheid van deze producten voor specifieke gebruikerstoepassingen

Package 2 Width	15,000 cm
Package 2 Length	40,000 cm
Package 2 Weight	1,435 kg

contractuele waarborg

Garantie	18 months
----------	-----------

Schneider Electric wil tegen 2050 de Net Zero-status hebben bereikt via partnerschappen in de toeleveringsketen, materialen met een lagere impact en circulariteit via onze doorlopende campagne "Use Better, Use Longer, Use Again" om de levensduur van producten en de recycleerbaarheid te verlengen.

[Uitleg van Environmental Data](#) >

[Hoe evalueren we de duurzaamheid van producten?](#) >

Milieuvoetafdruk	
Totale levenscyclus ecologische voetafdruk	1
Use Better	
Materialen en verpakking	
Pakket met gerecycleerd karton	Ja
Verpakkingen zonder kunststof	Ja
EU-richtlijn RoHS	Voldoet pro-actief (Product valt niet onder de EU RoHS juridische scope)
Use Again	
Herverpakken en herfabriceren	
Circulair Profiel	Geen specifieke recycling vereist
Terugname	No

Offer Marketing Illustration

Product benefits / Features

Features

Harmony XB5



Quick and easy assembly and disassembly



Excellent mechanical connection with operator head



Various types of connection: screw clamp, connector, Faston connector, spring terminal, or printed circuit board



Robustness to withstand harsh environments



Large set of accessories to customize your panels



Offer Marketing Illustration

Product benefits / Features

Technical Benefits

Harmony XB5



Offer Marketing Illustration

Product benefits / Features

Technical Benefits

Harmony XB5



Offer Marketing Illustration

Product benefits / Features

Features

Harmony XB5



Quick and easy assembly and disassembly



Excellent mechanical connection with operator head



Various types of connection: screw clamp, connector, Faston connector, spring terminal, or printed circuit board



Robustness to withstand harsh environments



Large set of accessories to customize your panels

