

META Bath spout for wall mounting - Brushed Platinum

META

13 801 660 Product version up to 5/27/2021



- 200mm projection
- circular normal flow
- rosette Ø 60 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 24.6 l/min at 3 bar flow pressure
- WRAS

	Brushed Platinum	13 801 660-06
	Chrome	13 801 660-00
	Dark Chrome	13 801 660-19
	Light Gold (PVD)	13 801 660-26
	Brushed Light Gold (PVD)	13 801 660-27
	Matte Black	13 801 660-33
	Brushed Gold (PVD)	13 801 660-37
	Brushed Dark Brass (PVD)	13 801 660-39
	Brushed Bronze (PVD)	13 801 660-42
	Brushed Dark Bronze (PVD)	13 801 660-43
	Brushed Chrome	13 801 660-93
	Brushed Dark Platinum	13 801 660-99

Recommended miscellaneous

Concealed wall elbow -


35 085 970 90




- min. recess depth 90 mm
- max. recess depth 163 mm

13 801 660 Product version up to 5/27/2021

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	




META Bath spout for wall mounting - Brushed Platinum

META

13 801 660 Product version up to 5/27/2021

Certificates and sustainability

IAPMO_4976	LGA_18	WRAS_250402	EPD-DOR-20230287 -IBA1-EN Environmental.prod uct-declarat
------------	--------	-------------	--



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	09 29 03 055 90	Aerator insert M21,5x1 25,2 l/min. -	1.00	-
Spare part can no longer be ordered, please order the replacement item				
	09290312490	Aerator insert M21,5x1 25,2 l/min. -		
5	04 30 09 024 00 90	Spanner for aerator Cache JR -	1.00	14
1	90 24 03 280 00 90	Connection -	1.00	14
2	90 14 10 060 00 90	O-Ring 8,0 x 1,5 mm -	1.00	14
3	90 31 11 112 00 90	Mounting Threaded pin M5 x 6 mm -	1.00	14