

Product data sheet

Item No. 92.040.1053.1

Distributor GST18i4V 2P1T V SW

T-connector GST18i4, 4 pole, 1 input, 2 outputs, 250/400 V, 20 A, colour of coding: black



Item No.	92.040.1053.1
EAN	4015573655898
Order Unit	100 Piece(s)

Certificates / Approvals



Technical data

General

Rated current	20 A
Rated voltage	400 V
Rated impulse voltage	4 kV
Pollution degree	2
Mechanical coding	Code 1
Interlockable	Yes
Color of coding/ contact carrier	Black
Marking of poles	

Model

Number of poles	4
Number of inputs	1
Number of outputs	2
Type of fastening	No
Degree of protection (IP)	IP40
Type of distributor	T-distributor

Material

Housing material	Polyamide
Halogen free	Yes
Contact material	CuZn
Insulation components continuous temperature	100 °C
Surface finish	Silver-plated

Dimensions

Length	44 mm
Width	38 mm
Height	43 mm

Technical drawing

<p style="font-size: small;">These dimensions will be especially checked at delivery Only inspection dimensions With /E marked dimensions are only valid for internal use</p>			A									
<p style="font-size: small;">Diese Maße werden bei Abnahme besonders geprüft Ausschließlich Prüfmaße Mit /E gekennzeichnete Maße sind nur für interne Zwecke gültig</p>			1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 M1 M2 M3 L G i 11.1 12.1 1.1									
	<p>Weitere Daten siehe Katalog further data see catalog</p>											
	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;">Teile-Nr. part-nr.</th> <th style="width: 25%;">Farbe colour</th> <th style="width: 50%;">Typ type</th> </tr> </thead> <tbody> <tr> <td>92.040.1053.0</td> <td>weiss/white</td> <td>GST1814V 2A1T V WS</td> </tr> <tr> <td>92.040.1053.1</td> <td>schwarz/black</td> <td>GST1814V 2A1T V SW</td> </tr> </tbody> </table>		Teile-Nr. part-nr.	Farbe colour	Typ type	92.040.1053.0	weiss/white	GST1814V 2A1T V WS	92.040.1053.1	schwarz/black	GST1814V 2A1T V SW	
Teile-Nr. part-nr.	Farbe colour	Typ type										
92.040.1053.0	weiss/white	GST1814V 2A1T V WS										
92.040.1053.1	schwarz/black	GST1814V 2A1T V SW										
<p>Toleranzierung nach DIN 7167/Tolerance system acc. to DIN 7167. (This DIN-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances).</p>		<p>ja/yes <input checked="" type="checkbox"/> Stoffverbots- und Deklarationsliste nach UU-TOM-05/03 ist einzuhalten. Conformity with Wieland document UU-TOM-05/03 (list of prohibited / declarable hazardous substances) to be declared!</p>										
<p>Freitoleranz nach - General tolerance</p>		<p>CAD - Zeichnung, keine manuellen Änderungen CAD - drawing, no manual modifications allowed</p>	<p>1. Verwendung: - First Use:</p>									
<p>Blatt: 1 von 1 Sheet: 1 of 1</p>	<p>Zeichnung Nr./Drawing No. 92.040.1053.0 01K</p>		<p>Index a</p>									
<p>Maße in mm/Dimensions are in mm</p>												
<p>Ersatz für/Replacement for: -</p>												
		<p>VERTEILER distributor T-form 250/400V AC 20A</p>										
<p>17.06.2013/ Datum / Blatt Date / Sheet</p>		<p>siehe Tabelle</p>										
<p>Änderung/Revision</p>		<p>Elektrische Verbindungen</p>										

920401053001K_2 CADW3030 Lunz 2013-06-17T10:36:32 1.000

