


Myriad Deco IP65 White Bezel

MYRIAD DECO IP65 FLOOD 3000K PHDM WHITE WBEZ
2058872



PRODUCT OVERVIEW

Product name	MYRIAD DECO IP65 FLOOD 3000K PHDM WHITE WBEZ
Technology	LED
Cap/Base	N/A
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Interior
E-number FI	4277683
Warranty	5 years
Fixture luminous flux (lm)	988
Luminaire efficacy (lm/W)	99
LOR (%)	100
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	90
Colour Variation Initial (SDCM)	SDCM3
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Electronic ballast
Housing colour	White
IP rating	IP65/20
IK rating	IK02
Product EAN number	5025768588725

DATA TABLE

General data

Product name	MYRIAD DECO IP65 FLOOD 3000K PHDM WHITE WBEZ
Technology	LED
Cap/Base	N/A
Housing	Aluminium
Mount	Ceiling recessed mounting

Myriad Deco IP65 White Bezel

MYRIAD DECO IP65 FLOOD 3000K PHDM WHITE WBEZ

2058872

Environment	Interior
Performance ambient temperature Tq (°C)	25
E-number FI	4277683
Warranty	5 years

Optical data

Fixture luminous flux (lm)	988
Luminaire efficacy (lm/W)	99
LOR (%)	100
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	90
Colour Variation Initial (SDCM)	SDCM3
Adjustable chromaticity	N
Photobiological Risk Group	RG1

Electrical data

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	230
Electrical protection	Class II
Control gear type	Electronic ballast
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

Physical data


Housing colour	White
IP rating	IP65/20
IK rating	IK02
Diffuser finish	Bezel (or Ring)
Nominal Product Diameter (mm)	90
Weight (kg)	0.44
Recessed Depth (mm)	72

Packaging

Single packaging type	Carton
Product EAN number	5025768588725
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768588725
Packaging outer length / height (cm)	17.5

Myriad Deco IP65 White Bezel MYRIAD DECO IP65 FLOOD 3000K PHDM WHITE WBEZ 2058872

PHOTOMETRY



0.5	0.34	E(0°) E(C0)	7892 3269
1.0	0.68	E(0°) E(C0)	1923 817
1.5	1.03	E(0°) E(C0)	885 363
2.0	1.37	E(0°) E(C0)	481 204
2.5	1.71	E(0°) E(C0)	305 131
3.0	2.05	E(0°) E(C0)	214 91

Distance [m] Cone diameter [m] Illuminance [lx]
 C0 - C180 (Half beam angle: 37.9°)

TECHNICAL DRAWINGS

