



Product Environmental Profile

SOCKET RJ45 CELIANE - CAT.6 - FTP - LCS2





■ LEGRAND'S ENVIRONMENTAL COMMITMENTS

- Incorporate environmental management into our industrial sites
- Of all Legrand sites worldwide, over 85% are ISO 14001-certified (sites belonging to the Group for more than five years).
- Offer our customers environmentally friendly solutions

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.

 $\bullet \ Involve\ the\ environment\ in\ product\ design\ and\ provide\ informations\ in\ compliance\ with\ ISO\ 14025$

Reduce the environmental impact of products over their whole life cycle.

Provide our customers with all relevant information (composition, consumption, end of life, etc.).



■ REFERENCE PRODUCT ■

Function	Connecting a connection point for 10 years (Reference lifetime) with a 25% utilisation rate for a copper telecom accessory for a Tertiary LAN application
Reference Product	Segrand Segrand
	Cat.No 067345 - 066631 - 068251 - 080251
	Socket RJ45 Celiane category 6 FTP.

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.



■ PRODUCTS CONCERNED

The environmental data is representative of the following products:

Catalogue Numbers

 $\bullet 067345 - 067344 - 066631 - 068251 - 080251 - 067396 - 067719 - 067735 - 067737 - 067739 - 099509 - 099544 - 099564 - 099711 - 200978 - 200958 - 099510$





Product Environmental Profile

SOCKET RJ45 CELIANE - CAT.6 - FTP - LCS2





CONSTITUENT MATERIALS

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market. It respects the restrictions on use of hazardous substances as defined in the RoHS directive 2011/65/EU amended by delegated directive (EU) 2015/863, and its amendment 2017/2102/EU.

Total weight of	
Total Weight of	
Reference Product	145 g (all packaging included)
Reference Product	145 g (all packaging included)

Plastics as % of weight		Metals as % of weight		Other as % of weight	
PC	13.3%	Steel	12.8%		
ABS	9.9%	Copper alloys	0.6%		
PA	4.7%	Other metals	<0.1%		
PET	1.5%				
PBT	0.8%				
PE	0.4%				
PP	<0.1%				
		Packaging as % of weight			
PE	0.6%			Wood	34.7%
PP	0.4%			Paper	20.3%
Total plastics	31.6%	Total metals	13.4%	Total others	55.0%

Estimated recycled material content: 21% by mass.



MANUFACTURE

This Reference Product comes from sites that have received ISO14001 certification.



■ DISTRIBUTION ■

Products are distributed from logistics centres located with a view to optimize transport efficiency. The Reference Product is therefore transported over an average distance of 543.71 km by Road and 114.43 km by Ship and 782.12 km by Plane from our warehouse to the local point of distribution into the market In Europe.

Packaging is compliant with european directive 2004/12/EU concerning packaging and packaging waste. At their end of life, its recyclability rate is 95% (in % of packaging weight).



■ INSTALLATION ■

For the installation of the product, only standard tools are needed.



USE

 $Under \, normal \, conditions \, of \, use, this \, product \, requires \, no \, servicing, \, no \, maintenance \, or \, additional \, products.$





Product Environmental Profile

SOCKET RJ45 CELIANE - CAT.6 - FTP - LCS2





■ END OF LIFE

The product end of life factors are taken into account during the design phase. Dismantling and sorting of components or materials is made as easy as possible with a view to recycling or failing that, another form of reuse.

Recyclability rate:

Calculated using the method described in technical report IEC/TR 62635, the recyclability rate of the product is estimated at 96%. This value is based on data collected from a technological channel operating on an industrial basis. It does not pre-validate the effective use of this channel for the end of life of this product.

Separated into:

plastic materials (excluding packaging)
 metal materials (excluding packaging)
 other materials (excluding packaging)
 packaging (all types of materials)
 : 53%



■ ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle: manufacturing, distribution, installation, use and end of life. It is representative from products marketed and used in Europe, in compliance with the local current standards.

For each phase, the following modelling elements were taken in account:

Unless otherwise s	pecified, the energy models are those integrated in the modules used from the EIME database
Manufacture	Materials and components of the product, all transport for the manufacturing, the packaging and the waste generated by the manufacturing.
Distribution	Transport between the last Group distribution centre and an average delivery point in the sales area.
Installation	The end of life of the packaging.
Use	 Product category: Socket RJ45 - PSR-0005-ed2-EN-2016 03 29 - 3.8.1.2. Copper Telecom accessories. Use scenario: LAN tertiary, non continuous operation for 10 years, cat 6 for 25% of the time. This time modeling is not requirement of minimum durability. Energy model: Electricity Mix; Europe 27 - 2008.
End of life	The default end of life scenario maximizing the impacts.
Software and database used	EIME & database CODDE-2018-11



Your usual Sales office www.legrand.com

Product Environmental Profile

SOCKET RJ45 CELIANE - CAT.6 - FTP - LCS2





■ SELECTION OF ENVIRONMENTAL IMPACTS

	Total for L	ife cycle	Raw material a manufact		Distributi	on	Installatio	on	Use		End of life	.
Global warming	7.59E-01	kgCO ₂ eq.	4.95E-01	65%	2.40E-01	32%	4.49E-03	< 1%	1.23E-02	2%	6.57E-03	< 1%
Ozone depletion	4.81E-08	kgCFC-11 eq.	4.68E-08	97%	3.70E-10	< 1%	2.20E-11	< 1%	8.04E-10	2%	1.44E-10	< 1%
Acidification of soils and water	1.86E-03	kgSO ₂ eq.	1.03E-03	55%	7.30E-04	39%	2.08E-05	1%	5.15E-05	3%	2.55E-05	1%
Water eutrophication	1.36E-03	kg(PO ₄)³- eq.	1.15E-03	85%	1.62E-04	12%	1.30E-05	< 1%	3.11E-06	< 1%	3.19E-05	2%
Photochemical ozone formation	1.63E-04	kgC₂H₄ eq.	1.06E-04	65%	5.07E-05	31%	1.48E-06	< 1%	2.83E-06	2%	1.98E-06	1%
Depletion of abiotic resources - elements	2.37E-05	kgSb eq.	2.36E-05	100%	9.61E-09	< 1%	1.90E-10	< 1%	1.07E-09	< 1%	3.95E-10	< 1%
Total use of primary energy	1.60E+01	мл	1.22E+01	76%	3.40E+00	21%	6.22E-02	< 1%	2.46E-01	2%	7.36E-02	< 1%
Net use of fresh water	9.26E-02	m³	4.78E-02	52%	2.25E-05	< 1%	9.48E-07	< 1%	4.47E-02	48%	4.99E-06	< 1%
Depletion of abiotic resources - fossil fuels	9.20E+00	мл	5.55E+00	60%	3.38E+00	37%	6.11E-02	< 1%	1.40E-01	2%	6.71E-02	< 1%
Water pollution	1.75E+02	m³	1.34E+02	76%	3.96E+01	23%	7.12E-01	< 1%	5.09E-01	< 1%	7.79E-01	< 1%
Air pollution	5.22E+01	m³	4.58E+01	88%	4.86E+00	9%	3.54E-01	< 1%	5.31E-01	1%	7.00E-01	1%

The values of the 27 impacts defined in the PCR-ed3-EN-2015 04 02 are available in the digital database of pep-ecopassport.org website.



Your usual Sales office www.legrand.com

Product Environmental Profile

SOCKET RJ45 CELIANE - CAT.6 - FTP - LCS2



For all products concerned (see § «products concerned»), take these impacts values.

For all products concern					nese impa	acts value	s. I						
			oduct : 067										
			category 6 FT					0	ant oft	alatian -f '		inataur	
			environmental			F- 1 1"1	Associed				ronmental ind		F
Associed References		acturing	Distribution	Installation	Use	End of life	References	Manufa	ecturing	Distribution	Installation	Use	End of life
067344 Socket RJ45 Celiane category 6 UTP	GWP ODP A EP POCP ADPe FW ADPf WP	1.0	0.7	1.0	1.0	1.0	099544 Socket RJ45 Celiane category 6 FTP Graphite DIY	GWP ODP A EP POCP ADPe PE FW ADPf WP AP	1.0	1.0	1.0	1.0	1.1
067396 Socket RJ45 Celiane category 6 STP	GWP ODP A EP POCP ADPe FW ADPf WP	1.3	1.2	1.0	1.0	1.2	099564 Socket RJ45 Celiane category 6 FTP Complete white	GWP ODP A EP POCP ADPe PE FW ADPf WP AP	1.0	1.0	1.0	1.0	1.1
067719 Socket RJ45 Celiane category 6 STP Complete White	GWP ODP A EP POCP ADPe PE FW ADPf WP AP	1.2	0.8	0.3	1.0	1.2	099711 Socket RJ45 Celiane category 6 FTP White DIY	GWP ODP A EP POCP ADPe PE FW ADPf WP AP	1.0	1.1	0.9	1.0	1.1
	GWP	3.4						GWP					
067735 Socket RJ45 Celiane category 5e FTP Complete Titane	ODP A EP POCP ADPe PE FW ADPf WP AP	1.0	1.0	1.2	1.0	0.7	200958 Socket RJ45 Celiane category 6 FTP	ODP A EP POCP ADPe PE FW ADPf WP AP	1.0	0.9	0.8	1.0	1.0
067737 Socket RJ45 category 6 FTP white	GWP ODP A EP POCP ADPe PE FW ADPf WP AP	1.0	1.0	1.2	1.0	0.7	200978 Socket RJ45 Celiane category 6 FTP Titanium DIY	GWP ODP A EP POCP ADPe PE FW ADPf WP AP	1.0	0.9	0.8	1.0	1.0
067739 Socket RJ45 Celiane category 6 STP Complete Titane	GWP ODP A EP POCP ADPe PE FW ADPf WP AP	1.2	0.8	0.4	1.0	1.2	099510 Socket RJ45 Celiane category 6 STP Titanium Composable	GWP ODP A EP POCP ADPe PE FW ADPf WP AP	1.3	1.0	0.6	1.0	1.3
099509 Socket RJ45 Celiane category 6 STP White Composable	PE FW ADPf	1.3	1.0	0.6	1.0	1.3							
	WP AP	3.4											

Contact Legrand if you have any questions regarding the calculation of coefficients for impacts others than those presented in this PEP



Your usual Sales office www.legrand.com

Product Environmental Profile

SOCKET RJ45 CELIANE - CAT.6 - FTP - LCS2



Registration number: LGRP-00418-V02.01-EN	Drafting rules: PEP-PCR-ed3-EN-2015 04 02 Supplemented by PSR-0005-ed2-2016 03 29
Verifier accreditation N°: VH18	Information and reference documents: www.pep-ecopassport.org
Date of issue: 05-2022	Validity period: 5 years
Independent verification of the declaration and data, in compliance with Internal ☐ External ☑	PEP
	Occot (SOLININEN)
The PCR review was conducted by a panel of experts chaired by Philippe PEP are compliant with XP C08-100-1: 2016 The elements of the present PEP cannot be compared with elements from	Osset (SOLINNEN)