

# Productinformatieblad

Specificaties

## CONNECTED COOLING ALU FILTER DAKMONTAGE 600W



NSYCUACC014DG

EAN Code: 3606486379370

**Prijs: 165,00 EUR**

### Hoofd

range	ClimaSys
product name	ClimaSys CU
product or component type	Filter
bereik compatibiliteit	ClimaSys ClimaSys CU koelgroep
categorie toebehoren	Thermomanagement toebehoren

### Complementair

montagezone	Dak
bestemming product	voor Bovenkant gemonteerd koelelement - vermogen: 650 W
bestemming toebehoren	ClimaSys koeleenheid
Quantity per set	Set van 1
materiaal	Aluminium
net weight	0,4 kg
breedte	380 mm
hoogte	150 mm
dikte	8 mm

### Verpakkingseenheid

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2,000 cm
Package 1 Width	17,000 cm
Package 1 Length	40,000 cm
Package 1 Weight	156,000 g
Unit Type of Package 2	PAL
Number of Units in Package 2	10
Package 2 Height	29,000 cm
Package 2 Width	37,500 cm
Package 2 Length	120,000 cm
Package 2 Weight	1,560 kg

### contractuele waarborg

De weergegeven prijs is de adviesprijs in euro excl. BTW. Deze kan onderhevig zijn aan korting. Neem contact op met uw lokale distributeur of detailhandel voor de daadwerkelijke prijs

---

**Coverage**

Kernproduct

---

**Garantie**

18 months

## Environmental Data

Schneider Electric wil tegen 2050 de Net Zero-status hebben bereikt via partnerschappen in de toeleveringsketen, materialen met een lagere impact en circulariteit via onze doorlopende campagne "Use Better, Use Longer, Use Again" om de levensduur van producten en de recycleerbaarheid te verlengen.

[Uitleg van Environmental Data](#) >

[Hoe evalueren we de duurzaamheid van producten?](#) >

### Use Better

 <b>Materialen en verpakking</b>	
Pakket met gerecycleerd karton	Nee
Verpakkingen zonder kunststof	Nee
<a href="#">EU-richtlijn RoHS</a>	Voldoet pro-actief (Product valt niet onder de EU RoHS juridische scope)
REACH-regelgeving	<a href="#">REACH-verklaring</a>


### Use Again

 <b>Herverpakken en herfabriceren</b>	
Terugname	No

## Technical Illustration

### Wiring diagram

---



## Offer Marketing Illustration

### Product benefits / Features

---

The illustration features a central image of three cooling units: a tall rack-mounted unit, a medium-sized rack-mounted unit, and a smaller floor-standing unit. Surrounding this central image are six circular icons, each with a corresponding text description of a product benefit or feature.

- Connected with alarming and setting data**: Represented by an icon of a signal tower.
- Easy selection with 40 references IEC & UL**: Represented by an icon of a 2x2 grid with checkmarks.
- 3 redundant modes for critical application**: Represented by an icon of a server rack with three arrows pointing to different sections.
- Recycled packaging, good energy efficiency ratio**: Represented by an icon of a recycling symbol.
- 30% Smaller and lighter Cooling Units**: Represented by an icon of a square with a diagonal line and a smaller square.
- Easy mounting with 3 positions, easy spare parts replacement**: Represented by an icon of a clock with a checkmark.