




## Features

- Compact and elegant design
- Suitable replacement for halogen, incandescent and compact fluorescent GLS lamps
- Instant light at the flick of a switch
- Uniform light distribution
- Good colour rendering (CRI 80)
- Dimmable with approved dimmers
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas
- Lower maintenance costs
- A+ energy rating

## Product Overview

Product name	ToLEDo GLS V4 DIM FR 1060lm 827 E27 SL
Technology	LED
Watt (Rated) (W)	11
Cap/Base	E27
E-number FI	4740295
Colour temperature (K)	2700
CRI (Ra)	80
Colour Consistency (SDCM)	6
Wattage (W)	11
Product EAN number	5410288266831
Warranty	3 years

## Technical drawings



## Data table

### GENERAL DATA

Product name	ToLEDo GLS V4 DIM FR 1060lm 827 E27 SL
Technology	LED
Watt (Rated) (W)	11
Cap/Base	E27
E-number FI	4740295
Warranty	3 years

### OPTICAL DATA

Luminous flux (Rated) (lm)	1060
Colour temperature (K)	2700
CRI (Ra)	80
Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	70

## ELECTRICAL DATA

Wattage (W)	11
Equivalent watt (W)	75
Starting time (max) (s)	0.05
Current (A)	0.069
Lamp power factor	0.85
Control gear required	No
Drive current (mA)	52

## LIFETIME DATA

Average life (Rated) (h)	25000
--------------------------	-------

## PHYSICAL DATA

Nominal Product Diameter (mm)	109
Max. Lamp Diameter (mm) - D	60
Weight (kg)	0.111

## PACKAGING

Single packaging type	Carton
Product EAN number	5410288266831
Packaging single width (cm)	7.0
Packaging single depth (cm)	7.0
DUN14 (inner)	25410288266835
Units per inner package	6
Packaging inner length / height (cm)	23.4
Packaging inner width (cm)	16.1
Packaging inner depth (cm)	17.7
DUN14 (outer)	15410288266838
Packaging outer length / height (cm)	82.7

## SAFETY DATA

Breakage cleaning instructions	Not applicable
--------------------------------	----------------

ToLEDo GLS V4 DIM FR 1060lm 827 E27 SL  
**0026683**

<b>Special purpose lamp</b>	No
<b>Dry applications use only</b>	No
<b>Suitable for household illumination</b>	No
<b>Safety message</b>	Not Suitable for totally enclosed fixtures