

ToLEDo Micro-Lynx

ToLEDo MicroLynx Frosted 470LM 840 SL

0026787



Product features

- The microlynx LED FROSTED 4W aims to replace a GX53 CFL lamp. This product with a 15,000 hours life is available in 4000 Kelvin color, and will deliver high output of 470lm instantaneously. Perfect for kitchen or bathroom this product is 3 years warranty for a complete peace of mind.



PRODUCT OVERVIEW

Product name	ToLEDo MicroLynx Frosted 470LM 840 SL
Technology	LED
Watt (Rated) (W)	4.5
Lamp shape	Flat round
Type	ToLEDo Micro-Lynx
Cap/Base	GX53
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740349
E-number SE	8292211
Luminous flux (lm)	470
Colour temperature (K)	4000
Light colour	Cool White
CRI (Ra)	80
Colour Consistency (SDCM)	6
Wattage (W)	4.5
Dimmable	No
Dimming method	N/A
Average life (Nominal) (h)	15000
Product EAN number	5410288267876

DATA TABLE

General data

Product name	ToLEDo MicroLynx Frosted 470LM 840 SL
Technology	LED
Watt (Rated) (W)	4.5
Lamp shape	Flat round
Type	ToLEDo Micro-Lynx
Cap/Base	GX53
Lamp finish	Frosted/Coated
Fixture rating	Open

ToLEDo Micro-Lynx

ToLEDo MicroLynx Frosted 470LM 840 SL
0026787

General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740349
E-number SE	8292211

Optical data

Luminous flux (lm)	470
Luminous flux (Rated) (lm)	470
Colour temperature (K)	4000
Light colour	Cool White
CRI (Ra)	80
Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	80

Electrical data

Wattage (W)	4.5
Equivalent watt (W)	40
Starting time (max) (s)	0.05
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Current (A)	0.052
Lamp power factor	0.4
Control gear required	No
No. Of switching cycles before premature failures	>50000
Dimmable	No
Dimming method	N/A
Drive current (mA)	35

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Height (mm)	25
Nominal Product Diameter (mm)	75
Weight (kg)	0.045

Packaging

Single packaging type	Carton
Product EAN number	5410288267876
Packaging single length / height (cm)	7.8
Packaging single width (cm)	3.8
Packaging single depth (cm)	7.8
DUN14 (inner)	25410288267870
Units per inner package	6
Packaging inner length / height (cm)	16.3
Packaging inner width (cm)	12.4

ToLEDo Micro-Lynx

ToLEDo MicroLynx Frosted 470LM 840 SL
0026787

Packaging inner depth (cm)	10.5
DUN14 (outer)	15410288267873
Units per outer package	60
Packaging outer length / height (cm)	66.0
Packaging outer width (cm)	18.2
Packaging outer depth (cm)	25.0

Safety data

Optimal operating condition (°C)	0-0
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Suitable for household illumination	Yes