

Wall elbow - Brushed Dark Platinum

SERIES SPECIFIC

28 450 625 Product version up to 7/6/2018



- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

| | | |
|---|--------------------------------|---------------|
|  | Brushed Dark Platinum | 28 450 625-99 |
|  | Chrome | 28 450 625-00 |
|  | brushed chrome | 28 450 625-04 |
|  | Brushed Platinum | 28 450 625-06 |
|  | Platinum | 28 450 625-08 |
|  | Dark Chrome | 28 450 625-19 |
|  | Light Gold (PVD) | 28 450 625-26 |
|  | Brushed Light Gold (PVD) | 28 450 625-27 |
|  | Brushed Durabronze (23kt Gold) | 28 450 625-28 |
|  | Matte Black | 28 450 625-33 |
|  | Brushed Gold (PVD) | 28 450 625-37 |
|  | Brushed Dark Brass (PVD) | 28 450 625-39 |
|  | Brushed Bronze (PVD) | 28 450 625-42 |
|  | Brushed Dark Bronze (PVD) | 28 450 625-43 |
|  | aluminium | 28 450 625-45 |
|  | Brushed Champagne (22kt Gold) | 28 450 625-46 |
|  | Champagne (22kt Gold) | 28 450 625-47 |
|  | Brushed Chrome | 28 450 625-93 |


Recommended miscellaneous



- Concealed wall elbow -** 35 085 970 90
- min. recess depth 90 mm
 - max. recess depth 163 mm

28 450 625 Product version up to 7/6/2018

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|-----------------------------|-------------|---------|------------------------|
| ASME A112.18.1 | cUPC | EN 1717 | Scottish Water Byelaws |
| UK Water Supply Regulations | XP P 41-280 | | |




Wall elbow - Brushed Dark Platinum

SERIES SPECIFIC

28 450 625 Product version up to 7/6/2018

Certificates and sustainability

Belgaqua_21-381-2 IAPMO_4976 WRAS_240702 ACS_20 ACC LY



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--|---------------|---------------|
| 2 | 09 27 22 503-99 | Rosette DB logo Ø 55 x Ø 22 x 9 mm - Brushed Dark Platinum | 1.00 | 40 |
| 3 | 09 16 01 014 90 | Ring Retaining ring Ø 15 x 1 mm - | 1.00 | 14 |
| 4 | 90 23 01 141 00 90 | Back-flow preventer - | 2.00 | 14 |
| 1 | 90 14 10 026 00 90 | O-Ring 20,5 x 3,5 mm - | 1.00 | 14 |
| 6 | 90 21 02 069 00-99 | Cover/sleeve M20 x 1 - Brushed Dark Platinum | 1.00 | 40 |
| 5 | 09 11 03 036-99 | Connection 1/2" Ø 22 x 63 x 34 mm - Brushed Dark Platinum | 1.00 | 40 |