

28 504 670 Product version from 6/30/2015
















- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

**Technical data:**

- 180-210mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2" connection

**Notes:**

|   |                                |               |
|---|--------------------------------|---------------|
|    | Brushed Dark Platinum          | 28 504 670-99 |
|    | Chrome                         | 28 504 670-00 |
|    | Brushed Platinum               | 28 504 670-06 |
|    | Platinum                       | 28 504 670-08 |
|    | Dark Chrome                    | 28 504 670-19 |
|    | Brushed Light Gold (PVD)       | 28 504 670-27 |
|    | Brushed Durabronze (23kt Gold) | 28 504 670-28 |
|    | Matte Black                    | 28 504 670-33 |
|   | Brushed Gold (PVD)             | 28 504 670-37 |
|  | Brushed Dark Brass (PVD)       | 28 504 670-39 |
|  | Brushed Bronze (PVD)           | 28 504 670-42 |
|  | Brushed Dark Bronze (PVD)      | 28 504 670-43 |
|  | Brushed Champagne (22kt Gold)  | 28 504 670-46 |
|  | Champagne (22kt Gold)          | 28 504 670-47 |
|  | Brushed Chrome                 | 28 504 670-93 |


Recommended miscellaneous




- Concealed wall elbow -** 35 085 970 90
- min. recess depth 90 mm
  - max. recess depth 163 mm

28 504 670 Product version from 6/30/2015

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



## Shower head - Brushed Dark Platinum

SERIES SPECIFIC


---

28 504 670 Product version from 6/30/2015

Certificates and sustainability

---

LGA\_19



Spare parts list

| No. | Item Number        | Name  | Quantity used | Delivery time |
|-----|--------------------|---|---------------|---------------|
| 2   | 09 31 11 048 90    | Mounting Threaded pin with hexagon socket with point<br>M4 x 8 mm - | 1.00          | 14            |
| 4   | 09 11 03 011-99    | Connection 140 x 65 x 21 mm - Brushed Dark Platinum                 | 1.00          | 40            |
| 1   | 09 27 98 003-99    | Rosette 60 x 60 x 9 x Ø 24 mm - Brushed Dark Platinum               | 1.00          | 40            |
| 5   | 90 12 05 054 00-99 | Spray Overhead shower Ø 141 x 178 mm - Brushed<br>Dark Platinum     | 1.00          | 40            |
| 3   | 09 14 10 098 90    | O-Ring 22,0 x 1,6 mm -  | 1.00          | 14            |
| 6   | 90 14 20 002 00 90 | Washer 18,5 x 12,0 x 2,0 mm -                                       | 1.00          | 14            |
| 7   | 09 23 01 086 90    | Flow limiter beige 7,6 l/min. -                                     | 1.00          | 14            |