

## TOLEDO CANDLE DIMMABLE

ToLEDo CAND V4 DIM FROSTED 470LM E14 SL

0026935



### Product features

- Compact and elegant design
- Suitable replacement for halogen, incandescent and compact fluorescent candle lamps
- Instant light at the flick of a switch
- Uniform light distribution
- Good colour rendering (CRI 80)
- Dimmable with approved dimmers
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas
- Lower maintenance costs
- A+ energy rating



## PRODUCT OVERVIEW

|                            |  |
|----------------------------|--|
| Product name               | ToLEDo CAND V4 DIM FROSTED 470LM E14 SL        |
| Technology                 | LED  |
| Watt (Rated) (W)           | 5.6  |
| Type                       | TOLEDO CANDLE DIMMABLE                         |
| Cap/Base                   | E14  |
| Fixture rating             | Open   |
| General application        | Hospitality, Education, Residential & Consumer |
| ETIM Class                 | EC001959                                       |
| E-number FI                | 4740197  |
| E-number SE                | 8296540  |
| Warranty                   | 3 years  |
| Luminous flux (lm)         | 470  |
| Colour temperature (K)     | 2700   |
| Light colour               | Homelight                                      |
| CRI (Ra)                   | 80   |
| Beam Angle (°)             | 280  |
| Wattage (W)                | 5.6  |
| Dimmable                   | Yes  |
| Average life (Nominal) (h) | 15000  |
| Product EAN number         | 5410288269351                                  |

## DATA TABLE

### General data

|   |  |
|---|--|
| Product name                            | ToLEDo CAND V4 DIM FROSTED 470LM E14 SL        |
| Technology                              | LED  |
| Watt (Rated) (W)                        | 5.6  |
| Type                                    | TOLEDO CANDLE DIMMABLE                         |
| Cap/Base                                | E14  |
| Fixture rating                          | Open   |
| General application                     | Hospitality, Education, Residential & Consumer |
| Performance ambient temperature Tq (°C) | 25   |

## TOLEDO CANDLE DIMMABLE

ToLEDo CAND V4 DIM FROSTED 470LM E14 SL  
0026935

|             |          |
|-------------|----------|
| ETIM Class  | EC001959 |
| E-number FI | 4740197  |
| E-number SE | 8296540  |
| Warranty    | 3 years  |

### Optical data

|                            |           |
|----------------------------|-----------|
| Luminous flux (lm)         | 470       |
| Luminous flux (Rated) (lm) | 470       |
| Colour temperature (K)     | 2700      |
| Light colour               | Homelight |
| CRI (Ra)                   | 80        |
| Beam Angle (°)             | 280       |

### Electrical data

|   |         |
|---|---------|
| Wattage (W)                                       | 5.6     |
| Starting time (max) (s)                           | <0.5    |
| Warm-up time to 60% of full light (max) (s)       | <1.0    |
| Lamp power factor                                 | 0.5     |
| No. Of switching cycles before premature failures | >50000  |
| Dimmable  | Yes     |
| Nominal Frequency (Hz)                            | 50/60Hz |

### Lifetime data

|                            |       |
|----------------------------|-------|
| Average life (Nominal) (h) | 15000 |
| Average life (Rated) (h)   | 15000 |

### Physical data

|                               |       |
|-------------------------------|-------|
| Nominal Product Length (mm)   | 110   |
| Nominal Product Diameter (mm) | 38    |
| Weight (kg)                   | 0.041 |

### Packaging

|                                       |                |
|---------------------------------------|----------------|
| Single packaging type                 | Carton         |
| Product EAN number                    | 5410288269351  |
| Packaging single length / height (cm) | 12.5           |
| Packaging single width (cm)           | 4.8            |
| Packaging single depth (cm)           | 4.8            |
| Units per inner package               | 6              |
| Packaging inner length / height (cm)  | 15.0           |
| Packaging inner width (cm)            | 10.5           |
| Packaging inner depth (cm)            | 15.3           |
| DUN14 (outer)                         | 15410288269358 |
| Units per outer package               | 60             |
| Packaging outer length / height (cm)  | 55.2           |
| Packaging outer width (cm)            | 17.6           |
| Packaging outer depth (cm)            | 33.6           |

## TOLEDO CANDLE DIMMABLE

*ToLEDo CAND V4 DIM FROSTED 470LM E14 SL*

0026935

---

### Safety data

|  |  |
|--|--|
| <b>Breakage cleaning instructions</b>      | Not applicable                             |
| <b>Special purpose lamp</b>                | No   |
| <b>Dry applications use only</b>           | Yes  |
| <b>Suitable for household illumination</b> | Yes  |
| <b>Safety message</b>                      | Not Suitable for totally enclosed fixtures |