




Features

- Compact and elegant design
- Suitable replacement for halogen, incandescent and compact fluorescent candle lamps
- Instant light at the flick of a switch
- Uniform light distribution
- Good colour rendering (CRI 80)
- Dimmable with approved dimmers
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas
- Lower maintenance costs
- A+ energy rating

Product Overview

Product name	ToLEDo CAND V4 DIM FROSTED 470LM E14 SL
Technology	LED
Watt (Rated) (W)	5.6
Cap/Base	E14
Fixture rating	Open
E-number FI	4740197
E-number SE	8296540
Colour temperature (K)	2700
CRI (Ra)	80
Wattage (W)	5.6
Product EAN number	5410288269351
Warranty	3 years

Technical drawings



Data table

GENERAL DATA

Product name	ToLED _o CAND V4 DIM FROSTED 470LM E14 SL
Technology	LED
Watt (Rated) (W)	5.6
Cap/Base	E14
Fixture rating	Open
Performance ambient temperature T _q (°C)	25
E-number FI	4740197
E-number SE	8296540
Warranty	3 years

OPTICAL DATA

Luminous flux (Rated) (lm)	470
Colour temperature (K)	2700

ToLEDo CAND V4 DIM FROSTED 470LM E14 SL 0026935

CRI (Ra)	80
----------	----

ELECTRICAL DATA

Wattage (W)	5.6
Starting time (max) (s)	<0.5
Lamp power factor	0.5
Control gear required	No
Nominal Frequency (Hz)	50/60Hz

LIFETIME DATA

Average life (Rated) (h)	15000
--------------------------	-------

PHYSICAL DATA

Nominal Product Length (mm)	110
Nominal Product Diameter (mm)	38
Weight (kg)	0.041

PACKAGING

Single packaging type	Carton
Product EAN number	5410288269351
Packaging single width (cm)	4.8
Packaging single depth (cm)	4.8
Units per inner package	6
Packaging inner length / height (cm)	15.0
Packaging inner width (cm)	10.5
Packaging inner depth (cm)	15.3
DUN14 (outer)	15410288269358
Packaging outer length / height (cm)	55.2

SAFETY DATA

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No



ToLEDo CAND V4 DIM FROSTED 470LM E14 SL
0026935

Suitable for household illumination

No

Safety message

Not Suitable for totally enclosed fixtures