

Twin-Tone

ToLEDo TWIN-TONE 806lm 827-840 E27 SL

0026998



Product features

- ToLEDo™ Twin-Tone: One lamp for all seasons • Perfect for maintaining different settings for day and evening time • Two different colour temperature options: Homelight - 2700K and Cool white - 4000K • The change in colour temperature is controlled by standard on/off switch - Default colour temperature: homelight - Press the on/off switch again to change the colour temperature to cool white • Available in A60 806lm • Energy class A+ • 15,000 hours average rated life • Non-dimmable • 3 years warranty • High colour rendering - CRI80



PRODUCT OVERVIEW

Product name	ToLEDo TWIN-TONE 806lm 827-840 E27 SL
Technology	LED
Watt (Rated) (W)	8
Lamp shape	Pear-shape
Cap/Base	E27
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740598
Warranty	3 years
Luminous flux (lm)	806
CRI (Ra)	80
Colour Consistency (SDCM)	6
Beam Angle (°)	200
Wattage (W)	8
Dimmable	No
Dimming method	N/A
Average life (Nominal) (h)	15000
Product EAN number	5410288269986

DATA TABLE

General data

Product name	ToLEDo TWIN-TONE 806lm 827-840 E27 SL
Technology	LED
Watt (Rated) (W)	8
Lamp shape	Pear-shape
Cap/Base	E27
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001959

Twin-Tone

ToLEDo TWIN-TONE 806lm 827-840 E27 SL

0026998

E-number FI	4740598
Warranty	3 years

Optical data

Luminous flux (lm)	806
Luminous flux (Rated) (lm)	806
Correlated colour temperature range (K)	2700 - 4000
CRI (Ra)	80
Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Beam Angle (°)	200
Lumen maintenance at end of nominal life (%)	70

Electrical data

Wattage (W)	8
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Lamp power factor	0.53
Control gear required	No
No. Of switching cycles before premature failures	>50000
Dimmable	No
Dimming method	N/A
Drive current (mA)	66
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Height (mm)	108
Nominal Product Diameter (mm)	60
Max. Lamp Diameter (mm) - D	60
Weight (kg)	0.05

Packaging

Single packaging type	Carton
Product EAN number	5410288269986
Packaging single length / height (cm)	13.5
Packaging single width (cm)	7.0
Packaging single depth (cm)	7.0
DUN14 (inner)	25410288269980
Units per inner package	8
Packaging inner length / height (cm)	28.5
Packaging inner width (cm)	15.0
Packaging inner depth (cm)	15.0
DUN14 (outer)	15410288269983

Twin-Tone

ToLEDo TWIN-TONE 806lm 827-840 E27 SL

0026998

Units per outer package	48
Packaging outer length / height (cm)	47.5
Packaging outer width (cm)	30.5
Packaging outer depth (cm)	32.5

Safety data

Dry applications use only	Yes
Safety message	Not Suitable for totally enclosed fixtures