



Color: ■ gray

Physical data	
Width	15 mm / 0.591 inches
Height	4 mm / 0.157 inches
Jumper assignment	1-2-3

Material data	
Note (material data)	Information on material specifications can be found here
Color	gray
Insulation material	Polyamide (PA66)
Fire load	0.011 MJ
Weight	1.4 g

Commercial data	
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	200 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918787147
Customs tariff number	85366990990

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption



Downloads

Environmental Product Compliance

Compliance Search
Environmental Product Compliance 280-483 

Documentation

Additional Information
Technical Section pdf 2240.62 KB 

Bid Text			
280-483	19.02.2019	xml 2.54 KB	
280-483	27.04.2017	doc 24.00 KB	

CAD/CAE-Data

CAD data
2D/3D Models 280-483 

CAE data	
EPLAN Data Portal 280-483	
WSCAD Universe 280-483	
ZUKEN Portal 280-483	

1 Compatible Products

1.1 Optional Accessories

1.1.1 Tool


1.1.1.1 Operating tool



Item No.: 280-433
Operating tool; made of insulating material; 3-way

Installation Notes


Commoning




Commoning using comb-style jumper bars.
Push comb-style jumper bars down until fully inserted.

Commoning

4-conductor through terminal blocks,
angled type,
formation of groups with 3-way, comb-style
jumper bars

Commoning

Carrier terminal blocks with component
plugs,
alternate comb-style jumper bars,
3-way comb-style jumper bar

Commoning

Commoning front-entry disconnect terminal
blocks via comb-style jumper bar
using a 10-pole operating tool