


















33 525 660 Product version up to 1/23/2020



- 105mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 138 mm
- height up to aerator 57 mm
- hole diameter 35 mm
- rosette Ø 50 mm optional
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

| | | |
|---|---------------------------|---------------|
|  | Brushed Dark Platinum | 33 525 660-99 |
|  | Chrome | 33 525 660-00 |
|  | Brushed Platinum | 33 525 660-06 |
|  | Platinum | 33 525 660-08 |
|  | Dark Chrome | 33 525 660-19 |
|  | Light Gold (PVD) | 33 525 660-26 |
|  | Brushed Light Gold (PVD) | 33 525 660-27 |
|  | Red | 33 525 660-29 |
|  | Orange | 33 525 660-30 |
|  | Dark Green | 33 525 660-31 |
|  | Matte Black | 33 525 660-33 |
|  | Brushed Gold (PVD) | 33 525 660-37 |
|  | Brushed Dark Brass (PVD) | 33 525 660-39 |
|  | Brushed Bronze (PVD) | 33 525 660-42 |
|  | Brushed Dark Bronze (PVD) | 33 525 660-43 |
|  | Brushed Chrome | 33 525 660-93 |

33 525 660 Product version up to 1/23/2020



Flow rate chart



Codes & Standards

DIN 4109

EN 817

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



META Single-lever basin mixer without pop-up waste - Brushed Dark Platinum

META

33 525 660 Product version up to 1/23/2020

Certificates and sustainability


DVGW_DW-
6506DN0

LGA_29

EPD-DOR-20230287 WRAS_251102
-IBA1-EN
Environmental.prod
uct-declarat

33 525 660 Product version up to 1/23/2020

Parts for other finishes can be found here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|-----------------------|---|---------------|---------------|
| | 5 90 15 05 044 00 90 | Cartridge Ø 25 x 51 mm - | 1.00 | 14 |
| | 2 09 28 30 043-99 | Cover Ø 35,7 x 13 mm - Brushed Dark Platinum | 1.00 | 40 |
| | 10 04 30 11 038 00 90 | Mounting with O-ring Ø40 x 4mm Ø 52 x 1,5 mm - | 1.00 | 14 |
| | 3 09 14 10 120 90 | O-Ring NBR 885 26,7 x 1,78 mm - | 1.00 | 14 |
| | 7 09 14 10 202 90 | O-Ring EPDM 70 31,0 x 1,5 mm - | 1.00 | 14 |
| | 4 09 24 04 266 90 | Mounting Ø 28 x 10,8 mm - | 1.00 | 14 |
| | 6 90 11 06 212 00-99 | Spout 90 x 145 x 35 mm, 5,68 l/min. - Brushed Dark Platinum | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| | 9 09 31 11 012 90 | Mounting Threaded bolt M8 x110 mm - | 1.00 | 14 |
| | 1 90 20 66 009 00-99 | Handle for washstand deck mounting Lever 39 x 30 x 100 mm - Brushed Dark Platinum | 1.00 | 40 |
| | 8 09 27 66 006-99 | Rosette Ø 50 x Ø 33mm x 5 mm - Brushed Dark Platinum | 1.00 | 40 |
| | 11 04 30 04 100 00 90 | High pressure hose M8x1 x 3/8" x 420 mm - | 2.00 | 14 |